




LDRN	U.S.C.Co 32 S.C. (US entwined on a brass primer) .....	40
<b>32 H &amp; R Magnum</b>		
Proof, SNHP	F C 32 H & R MAG (red base & bullet, nicked case) .....	1.50
SNHP	FC 32 H & R MAG (flat brass primer with red seal).....	1.00
<b>32 Smith &amp; Wesson</b>		
<b>Self lubricating RN</b>	U.M.C. 32 S & W (rounded copper primer, four weep holes in bullet side) .....	22.50



LDRN	S C.C.C. H 32 S & W. (rounded copper primer, slight belt on bullet right at the case mouth. What I can read on the box says "AIM STRAIGHT AND THEY ARE SURE .PARALYZERS" "CREEDMORE CARTRIDGE CO." Could not find these in any old dealer lists, think this a pretty rare headstamp) .....	5.00
LDRN	R.W.S. 32. S & W (rounded copper primer, beveled rim) .....	.30
LDRN	APC .32.S & W. (copper primer) .....	.25
Blank, tan wad	R-P 32 S & W (flat nickel primer) .....	.20
Blank, tan wad	PETERS .32 S. & W. (copper primer) .....	.20
82 grain LDRN	PETERS .32 S. & W. (copper primer) .....	.20
LDRN, "Quick Shot"	Q PETERS S 32 S. & W. (copper primer) .....	.50
LDRN	S & W : 32 S & W : (flat nickel primer) .....	.20
LDRN	W.R.A.CO. .32 S. 7 W. (w on rounded copper primer) .....	.25
Blank, tan wad	W R A 32 S & W (rounded nickel primer, four heavy stab primer crimps, .594 oal. ....	.25
Blank, tan wad	W.R.A. 32 S. & W. (flat nickel primer with red seal) .....	.20
LDRN	D.C.CO. 32 S. & W. (copper primer, straight case) .....	.25
LDRN	Same as above with seating cannl in case .....	.25
LDRN	D.C.Co 32 S & W (cannl case, flat brass primer).....	.30
LDRN	S & W .32 (flattened copper primer).....	.25
LDRN, waxed	GG (entwined 32 S & W (raised headstamp, centerfire-inside primed) .....	.50
LDRN	U.M.C. .32 S. & W. (copper primer) .....	.20
LDRN	W.R.A.CO. .32 S. & W. (copper primer) .....	.20
Shot, .744" necked case	W.R.A.CO. .32 S & W (copper primer, grey wad) .....	.20
LDRN	W.R.A.CO. .32 S. & W. (W on copper primer) .....	.20
Lubaloy RN	WESTERN .32 S. & W. (flat nickel primer with red seal).....	.25
LDRN	W.C.CO. .32 S.& W. (flattened copper primer) .....	.25
LDRN	U.S. 32 S & W (US entwined on copper primer) .....	.30
LDRN	U.S. 32 S & W (US side by side on brass primer) .....	.30
88 grain LDRN, black powder	REM-UMC 32 S & W (flat nickel primer) .....	.30
88 grain LDRN, black powder	REM-UMC 32 S & W (copper primer) .....	.20
Blank, grey wad (black powder)	REM-UMC 32 S & W (rounded copper primer, .578" case, slight taper crimp) .....	.20
Same	Same except for flat nicked primer, .584 to .588 case, slight taper crimp) .....	.20
LDRN	Plain copper case, copper primer, mfg. unknown, look European .....	.50
<b>32 Smith &amp; Wesson Long</b>		
LDRN, <u>self lubricating</u>	U.M.C. 32 S & W L (rounded copper primer, four lube holes in bullet ogive) .....	20.00
Same	REM-UMC 32 S & W L (flat copper primer) .....	20.00
FJRN, tinned jacket	W.R.A.CO. .32 S. & W. L. (rounded copper primer) .....	.25
LDRN	W.R.A.CO. 32 S. & W. L. (rounded copper primer, seating cannl. .25" from mouth) .....	.25
LDRN	W.R.A.CO. .32 S. & W. L. (W on rounded copper primer).....	.30
Same as above except no seating cannl.....		.25
LDRN	W.R.A.CO. .32 S. & W. L. (W on rounded copper primer).....	.30
LDRN	W.R.A.CO. .32 S. & W. L. (rounded nickel primer with blue seal).....	.40
LDRN	W.C.CO. .32 S. & W. L. (copper primer) .....	.25
LDRN	WESTERN 32 S & W L (copper primer) .....	.25
Same as above except for flat nickel primer.....		.25
98 grain LDFWC	WESTERN .32 S. & W. L. (nickel case & primer, three cannl. on case) .....	.30
LDRN	WESTERN 32 S & W LONG (flat nickel primer with maroon seal).....	.35
Lubaloy RN	WESTERN .32 S. & W. L. (rounded nickel primer) .....	.35
98 grain LDRN	REM-UMC 32 S & W L (u on flat nickel primer, single case cannl.) .....	.30

98 grain LDFWC	REM-UMC 32 S & W L (nickel case & primer, two cannl on case) .....	.30
LDRN	REM-UMC 32 S & W L (plain flat nickel primer).....	.35
Black powder blank	REM-UMC 32 S & W L (nickel primer, grey wad) .....	.30
LDRN, slight band at mouth	R.W.S. S&W 32 LONG (flat copper primer) .....	.35
LDFWC	LAPUA CAL. .32 (flat nickel primer) .....	.35
LDFWC	LAPUA 32 S & W LONG (flat brass primer).....	.60
LDRN	LAPUA 32 S & W LONG (flat brass primer).....	.60
FJRN, tinned jacket	32 S. & W. L. (copper primer, Int'l. Ctg. Co., Germany) .....	.25
98 grain LDFWC	CBC - 32 S & W L - (nickel primer) .....	.30
LDRN	PETERS 32 S. & W. L. (copper primer, smokeless).....	.25
LDRN	WESTERN 32 S. & W. L. (rounded nickel primer) .....	.25
<b><u>32 Colt New Police</u></b>		
LDFN	WESTERN .32 COLT N.P. (rounded nickel primer) .....	.35
LDFN	W.R.A.CO. .32 COLT N.P. (nickel primer with maroon seal) .....	.35
LDFN	U.M.C. 32 COLT N.P. (flat copper primer).....	.35
LDFWC	REM-UMC 32 COLT N P (nickel primer) .....	.25
LDRN	U.S.C.CO. 32 COLT N.P. (nickel primer with purple seal) .....	.30
<b><u>327 Federal Magnum</u></b>		
100 grain SNFN	FC 327 FEDERAL MAG (flat nickel primer).....	1.60
<b><u>32-44 Smith &amp; Wesson</u></b>		
Gallery, deep seated lead ball	U.M.C. 32-44 (flat copper primer, ball weight is 83 grains).....	3.00
Gallery, ball seated to case mouth	Same as above, 83 grain ball, 11 grains powder.....	3.00
Gallery, ball seated to case mouth	W.R.A.CO. 32.44 S & W. (flat copper primer).....	3.00
Gallery, deep seated lead ball	Same as above.....	3.00
<b><u>320 Short Revolver</u></b>		
LDRN, waxed	320 C.F (raised headstamp, centerfire-inside primed, .632" case, oal 1.00") .....	.50
LDRN, waxed	GG (entwined) 320 (raised headstamp, centerfire-inside primed, .653" case) .....	.50
LDRN, with two knurled rings.....	G (star) 320 (copper primer, .625" case, 1.02" oal, Shamrock brand, France) .....	.75
LDRN, waxed	RWS 320 (flat copper primer with black seal, .634" case, oal is .960").....	.50
Same except flat copper primer has no seal.....		.50
Same except has a flat nickel primer.....		.35
Blank, 8 petal rose crimp	RWS 320 (brass primer, .565" oal) .....	.25
Blank, 8 petal rose crimp	FIOCCHI 320 (brass primer, case length .568") .....	.25
LDRN	T 320 T 24 (flat brass primer, Swiss mfg).....	1.00
<b><u>320 Long Revolver</u></b>		
LDRN	Plain .650" <u>copper case</u> with battery cup primer, British .....	3.00
Same as above except case is brass	with battery cup priming .....	3.00
Full length shot, tan wad	.320. (flat copper primer, entire headstamp at 6:00) .....	.40
LDRN	V F M & CO LIEGE 320 (extremely deep headstamp, somewhat distorted) .....	.50
<b><u>356 Team Smith &amp; Wesson</u></b>		
FJFN, 147 grain	FC 356 T S & W (flat brass primer) .....	.75
<b><u>356 GNR</u></b>		
125 grain JHP	★—★ 41 MAG (flat nickel primer, box labels copy available) .....	3.25
<b><u>357 Smith &amp; Wesson Magnum</u></b>		
158 grain Tunnel Point	MIDWAY 357 MAG (flat nickel primer).....	2.25
110 grain JHP	PMC 357 MAGNUM (nickel case & primer, red primer seal).....	.60
158 grain Metal Penetrating	SUPER-X 357 MAGNUM (nickel case & primer).....	2.00
Same	W-W SUPER 357 MAGNUM (nickel case & primer).....	2.00
158 grain SJHP	★—★ 357 MAGNUM (flat nickel primer Case is gray colored with NP-3 coating as a self lubricating agent. Loaded by Triton Co.).....	1.50
Same as above except for 110 grain	SNHP bullet.....	1.50
Duplex 175 grain total	WINCHESTER 357 MAG (flat nickel primer, red seal. Front bullet is a SNHP, the rear one an all lead FWC design. By Ballistic Metal.).....	2.00
147 grain FMJ truncated cone	G.F.L. 357 MAGNUM (flat nickel primer) .....	.65
Glaser Safety Slug	R.P 357 MAGNUM (flat nickel primer, nickel case. Pink plastic nose plug protrudes slightly from case mouth) .....	2.00
SNSWC, copper jacket	norma .357 MAGNUM (flat copper primer) .....	.60
Multiball, two 70 gr. LD balls	R-P 357 MAGNUM (flat nickel primer) .....	1.00
SNHP, copper jacket	R-P 357 MAGNUM (flat nickel primer, brass case).....	.50
LDSWC	R-P 357 MAGNUM (nickel case & primer) .....	.50
FJRN, copper jacket	R-P 357 MAGNUM (nickel case & primer) .....	1.00

Proof, SWC	R-P 357 MAGNUM (red base & bullet, case nickeled) .....	1.00
158 grain FJRN	R-P 357 MAGNUM (nickel case & primer) .....	.50
Dummy, LDSWC	REM-UMC 357 MAGNUM (hole in nickel primer, nickel case) .....	.50
158 grain FJRN, copper jacket	REM-UMC 357 MAGNUM (large flat nickel primer, seating cannl. .45" from mouth)	.60
158 grain SWC	REM-UMC 357 MAGNUM (flat nickel primer, nickel case, cannl. .45" from mouth)	.50
Nyclad SWCHP	S & W .357 MAG. (nickel case & primer) .....	.50
SN tapered HP	S & W - F .357 MAG (nickel case & primer) .....	.50
SNFN	S & W - F 357 MAG (nickel case & primer).....	.50
Dummy, Lubaloy SWC	W-W- SUPER 357 MAGNUM (black case with hole in black primer) .....	.50
145 grain Silvertip HP	W-W SUPER 357 MAGNUM (nickel case & primer) .....	.50
158 grain Lubaloy SWC	W-W SUPER 357 MAGNUM (nickel case & primer) .....	.50
Contender shot load	W-W SUPER 357 MAGNUM (nickel case & primer, milk white shot sabot, oal is 2.66")	1.00
180 grain SXT Black Talon	WINCHESTER 357 MAG (nickel case & primer) .....	2.00
158 grain LDSWC	SAKO .357 MAG. (flat copper primer) .....	.50
LDSWC	STAR 357 MAGNUM (nickel case & primer) .....	.50
SNHP, copper jacket	SUPER VEL 357 MAGNUM (nickel case & primer).....	.50
LDRN	(5 point star) - (5 point star) 357 MAGNUM (rounded nickel primer) .....	.50
180 grain SNHP	FEDERAL 357 MAGNUM (nickel case & primer) .....	.50
158 grain Nyclad SWC	FEDERAL 357 MAGNUM (nickel case & primer).....	.75
125 grain Hydra-Shok	HYDRA-SHOK 357 MAG (nickel case & primer with red seal) .....	.75
158 gr. Hydra Shok	HYDRA-SHOK 357 MAG (nickeled case & primer, original UDL (Urban Defense Loads) with all lead bullet).....	2.00
SN tapered FN	HI-PER 357 MAGNUM (flat nickel primer with red seal) .....	.50
Hydra-Shok 148 grain	NATIONAL 357 MAG (nickel primer) .....	1.00
LDFWC	WAHIB .357 MAGNUM (nickel primer) .....	1.00
Lubaloy type SWC	3-D 357 MAG (small, flat nickel primer, slight dimple in flat bullet nose) .....	.50
Dummy SNHP, copper jacket	H SPEER-DWM V .357 MAG. (flat nickel primer) .....	1.50
New empty	TEXAS 357 MAG (no primer, nickeled case) .....	.50
SNFN, copper jacket	BROWNING 357 MAGNUM (flat nickel primer, have been cleaned) .....	1.50
158 grain Semi WC	NEVINS 357 MAG (small flat nickel primer) .....	1.00
<b><u>357 Remington Maximum</u></b>		
Proof, SNHP	R-P 357 REM MAX (red base & bullet, case nickeled) .....	1.00
180 grain SNHP	F C 357 MAXIMUM (nickel case & primer) .....	1.50
New empty	WIN 357 REM MAX (no primer, brass case) .....	1.50
<b><u>357 SIG Automatic</u></b>		
125 grain FJHP, copper jacket	F C 357 SIG (flat nickel primer, bottlenecked nickeled case) .....	1.50
FJHP	SPEER 357 SIG s (nickeled case & primer, copper bullet jacket).....	1.00
FJHP	SPEER 357 SIG s (brass primer, nickeled case) .....	1.00
<b><u>357 Auto Magnum</u></b>		
158 grain SNHP	R-P .308 WIN (a D.K.T. wildcat) .....	2.50
<b><u>357-44 B &amp; D</u></b>		
158 grain XTP	QUAL-CART 357-44 B & D (flat nickel primer).....	4.90
<b><u>360 Dan Wesson</u></b>		
158 gr. JHP	★—★ 360 DW (flat nickel primer. From Wesson Firearms Co. boxes).....	2.20
	170 gr. JHP .....	2.20
	180 gr. FPJ.....	2.20

### **375 Jurras Howdah**



Dummy, 270 gr. SNRN



**357 Herrett by Qual-Cart**

.375 JURRAS HOWDAH (blackened primer, .09" hole .38" from base) .....

11.50

### **38 Colt Automatic**

FJRN, tinned	D.C.CO. .38 A.C.P. (rounded copper primer) .....	1.00
SNRN, tinned jacket	REM-UMC 38 ACP (U on copper primer) .....	.30
FJRN, tinned	REM-UMC 38 ACP (U on copper primer) .....	.30

FJRN, tinned	REM-UMC 38 ACP (U on nickel primer) .....	.30
FJRN, copper jacket	REM-UMC 38 ACP (flat nickel primer) .....	.30
FJRN, copper jacket	REM-UMC 38 ACP (nickeled case & primer) .....	.30
FJRN, tinned jacket	REM-UMC 38 ACP (plain flat nickel primer) .....	.30
FJRN, copper jacket	WESTERN 38 AUTO (rounded nickel primer) .....	.30
FJRN, tinned	W.R.A.CO. .38 A.C. (rounded copper primer, w stamped in bullet side) .....	.30
Same except for W on copper primer as well as the bullet jacket .....		.30
SNRN, tinned	W.R.A.CO. .38 A.C. (rounded copper primer, w stamped in bullet side) .....	.30
130 grain FJRN, copper jacket	HP * 38-AUTO* (rounded nickel primer with red seal) .....	.35
FJRN, tinned jacket	PETERS .38 A.C.P. (rounded copper primer, single seating cannl.) .....	.50
FJHP, copper jacket	U.S.C.CO. 38 A.C.P. ( rounded nickel primer) .....	.50
FJRN, tinned jacket	U.M.C. .38 A.C.P. (U on flat copper primer).....	.50
125 grain SNHP	Same as above, maroon primer seal).....	.50
FJRN, tinned	REM-UMC 38 ACP (flat nickel primer) .....	.30
FJRN	38 AUTO (nickel case & primer with black seal, unknown foreign brand) .....	.50

**38 Short Colt, Short case .70” case**

LDRN	R-P 38 SH COLT (flat nickel primer).....	1.50
------	--	------

**38 Short Colt**

130 grain Lubaloy RN	W-W 38 SHORT COLT (flat nickel primer with red seal) .....	.30
LDRN	W.R.A.CO. .38 S. (rounded copper primer) .....	.30
LDRN	U.M.C. 38.SHORT. (flattened copper primer).....	.35
LDRN with knurled ring	PETERS .38 S. (rounded nickel primer) .....	.35

**38 Long Colt (inside lubricated, 1.0 to 1.05” case, .336 to 357” bullet diameter)**

Blank, brown wad	F A 6 03 (rounded copper primer, 1.01" case with tapered mouth) .....	.50
LDRN	U.S. 38 LONG. (rounded copper primer, straight case, no seating cannl.) .....	.35
LDRN	U.S.C.CO. 38 LONG. (US on copper primer, straight case) .....	.35
LDRN	U.S.C.CO. 38 LONG (rounded nickel primer, seating cannl. .40" from case mouth) .....	.35
LDRN	REM-UMC 18 (U on copper primer, black seal, seating cannl. .398" from mouth) .....	.35
LDRN	REM-UMC 18 (plain rounded nickel primer) .....	.35
LDRN	REM-UMC 38 LONG (U on nickel primer, single seating cannl) .....	.35
LDRN	REM-UMC 38 LONG (plain nickel primer, single seating cannl) .....	.35
LDRN	, F A 5 13, F A 3 13, F A 5 11, , F A 9 08	
	all have rounded copper primers with purple seal, single seating cannl) .....	.30
LDRN	PETERS 38 L (plain flattened copper primer) .....	.35
LDRN	PETERS .38L. (plain rounded nickel primer, single cannl. in case) .....	.30
150 grain Lubaloy RN	WESTERN 38 LONG COLT (small, flat nickel primer, red seal, single seating cannl.) .....	.....
Lubaloy RN	WESTERN .38 LONG (small rounded nickel primer, single seating cannl.).....	.35
Same except for large, rounded nickel primer .....		.35
LDRN	S U.M.C. H .38 LONG (rounded copper primer) .....	.50
Blank, gray wad, black powder	S U.M.C. H .38 LONG (rounded copper primer, mouth is tapered in to secure wad) .....	.35
Shot, wood sabot	U M C 38 LONG (copper primer) .....	.35

**38 Long Colt, outside lubricated, (.854” to .887” case, .362 to 381” bullet diameter)**



LDRN with single lube groove	Plain flat base with a rounded copper primer).....	2.50
------------------------------	--	------

**38 Casull Auto**

124 grain FJHP	CAC 38 CASULL (flat nickel primer, for the new 38 Casull automatic).....	1.80
Same except for a 147 grain FJHP bullet.....		1.80

**38 Colt New Police**

LDFN	Plain base with beveled rim, rounded copper primer .....	.30
150 grain LDFN	REM-UMC 38 COLT N P (flat nickel primer) .....	.25
LDFN	W.R.A.CO. 38 COLT NP (rounded nickel primer with purple seal).....	.35

**38 Smith & Wesson**

LDRN	R.H.A.Co. .38 S. & W. (flat copper primer. Robin Hood Ammunition Co.).....	1.00
Lubaloy, blunt 200 grain RN	WESTERN 38 S.&W. (rounded nickel primer) .....	.50
200 grain LDRN	WESTERN .38 S.& W. (rounded nickel primer) .....	.75
LDRN	S. & W. .38 (rounded copper primer, Clinton Ctg. Co.) .....	.20
Blank, roll crimp, tan wad	S & W 38 (rounded copper primer, black seal. Int'l. Ctg. Co., Germany) .....	.15

LDRN	S & W 38 (rounded copper primer, Int'l. Ctg. Co., Germany) .....	.20
LDRN	REM-UMC 38 S & W (flat nickel primer) .....	.20
146 grain LDRN, black powder	REM-UMC 38 S & W (rounded copper primer) .....	.20
LDRN	REM-UMC 38 S & W (nickeled case & primer) .....	.20
LDRN	REM-UMC 38 S & W (U on rounded nickel primer) .....	.20
Shot, wood sabot	REM-UMC 38 S & W (flat nickel primer).....	4.00



<u>Proof</u> , LDRN	REM-UMC 38 S & W (blackened case, nickel primer) .....	.50
LDRN	S U.M.C. H .38 S & W (copper primer, cases grungy) .....	.15
LDRN	U.M.C. .38 S. & W. (rounded copper primer) .....	.20
<u>Gallery</u> , LD ball	U.M.C. .38 S & W (copper primer) .....	.50
Blank, tan wad	U.S.C.CO. 38 S. & W. (copper primer) .....	.15
LDRN	U.S.C.CO. 38 .S & W. (US on small flat copper primer) .....	.25
LDRN, waxed	U.S.C.CO. 38 S & W. (small copper primer) .....	.30
LDRN	U.S.C.CO. 38 S & W (nickel primer with purple seal) .....	.20
LDFN	U.S. 38 S. & W. (copper primer) .....	.20
LDRN	U.S. 38 S & W. (US on brass primer) .....	.30
LDRN	S A CORP (@ 6:00) 38 S & W (@ 12:00) (US on rounded copper primer. The base of the cases have a ring about .04" in from the rim. These appear to be factory loads but the headstamps are a bit rough and using commercial primers from another brand.) ...	.35
LDRN	norma 38 S & W (rounded copper primer).....	.35
LDRN	G.C.D. 38 S & W (flat copper primer, from Germany) .....	.25
LDRN, waxed	GG (entwined) 38 S & W (raised headstamp, centerfire-inside primed) .....	.60
146 grain LDRN	HP * .38 S & W * (nickeled case & primer, red seal, Hirtenberg, Austria) .....	.25
LDRN	D.C.CO. 38 S & W (rounded copper primer) .....	.25
LDRN	S & W (@ 12:00) 38 (@ 6:00, by Eagle Metallic Ctg. Co., Germany) .....	.25
LDRN	W.R.A.CO. .38 S. & W. (W on copper primer, single cannl in case).....	.25
<u>Full length shot, grey wad</u>	W.R.A.CO. 38 S & W. (copper primer, 1.0" necked case) .....	.25
Same as above except W on rounded copper primer.....		.25
<u>Pavement marker</u> , red wax bullet	WESTERN 38 S. & W. (copper case with nickel primer) .....	.30
LDRN	W.R.A. 38 S. & W. (nickeled case & primer) .....	.25
LDRN	W.C.CO. .38 S. & W. (copper primer) .....	.20
LDRN	R-P 38 S & W (nickeled case & primer) .....	.20
New primed empty	R-P 38 S & W (nickel primer, copper case) .....	.20
145 grain LDRN	PETERS .38 S & W (rounded copper primer, 11 grains semi-smokeless powder) ....	.20
Lubaloy RN	PETERS .38 S & W (rounded nickel primer with red seal) .....	.20
<u>Shot, full length, tan wad</u>	PETERS 38 S & W (copper primer) .....	.50
<u>Shot, full length, gray wad</u>	PETERS .38 S. & W. (flattened nickel primer, box says Semi-Smokeless powder) ....	.50
LDRN	GECO 38 S&W (flat nickel primer) .....	.35
<b><u>38 Smith &amp; Wesson Special</u></b>		
158gr, FJRN	P-R 38 SPL (nickel case & primer. Mexican brand) .....	3.00
146 grain HP w/spindle	W-W SUPER38 SPL +P (all red base by Super Sonic Ctg. co.).....	1.00
33 grain Hyperconis HP	S.A. 38 SPECIAL (nickel primer with blue seal, the bullet is an aluminum HP.) .....	3.00
Dummy LDSWC	SB 38 SPL + P (hole in flat nickel primer).....	.75
150 grain Metal Penetrating	SUPER-X 38 SPECIAL (flat nickel primer, brass case).....	2.00
Same	SUPER SPEED 38 SPECIAL (rounded nickel primer, nickeled case) .....	2.00
Same	W-W SUPER 38 SPECIAL (nickel case & primer, two smooth cannl. on case).....	2.00
148 grain FWC	AMRON 38 SPL (flat nickel primer) .....	.30
LDRN with knurled ring at mouth	AMRON 38 SPL (flat nickel primer, light bullet, oal is only 1.43") .....	.35
158 grain SWC	AMTECH 38 SPL (flat nickel primer ion an aluminum head, rest of case is white plastic. Called "Composite Case" ammunition.....	1.50



Amtech composite case		
158 grain copper coated SWC	BUFFALO ROCK * 38 SPL * (obsolete brand, flat nickel primer) .....	1.00
158 grain LDRN	BROWNING (@ 12:00) 38 SPL (@ 6:00, flat nickel primer) .....	.50

LDFWC	CAVIM 38 SPL (nickeled primer, from Venezuela) .....	.60
LDFWC	CBC - 38 SPL - (flat nickel primer) .....	.35
LDFWC	CBC - 38 S W L - (nickel case & primer, <u>note headstamp</u> ) .....	.50
LD semi WC HP	CPM . 90 38 SPL + P (nickel case & primer, red primer seal) .....	.75
LD semi WC	CPM . 90 38 SPL + P (nickel case & primer) .....	.75
LDSWC	DENVER 38 SPL (flat nickel primer) .....	.35
148 grain FWC	DOMINION 38 SPL (flat brass primer with red seal, " Pistol match") .....	.35
158 grain LDFN	DOMINION 38 SPL (flat brass primer with red seal. Box says High Velocity Police	.50
129 grain FJHP	FEDERAL 38 SPL + P (nickel case & primer) .....	.35
LDRN	-* -FNM-* -38 E (rounded brass primer) .....	.35
125 grain SNHP	F C L E (nickel case & primer, "L E" means for <u>L</u> aw <u>E</u> nforcement only) .....	.75
FJRN, copper jacket	F C 5 7 (rounded brass primer with purple seal) .....	.50
New empty	FOWLER 38 SPL (aluminum case, no primer) .....	1.00
Hydra-Shok 148 grain, U.D.L.	HYDRA-SHOK .38 SPL ("Ultimate Defense Load", nickel case & primer) .....	.50
Hydra-Shok Copperhead	HYDRA-SHOK 38 SPL (nickel case & primer) .....	.75
Hydra-Shok SN	FEDERAL 38 SPECIAL (Nick. Case & primer, red primer seal) .....	1.00
LDSWC	HI-PER 38 SPL + P (flat nickel primer, red seal) .....	.50
LDSWC	H & R 38 SPL + P (nickel case & primer) .....	.50
SN tapered HP	RANGE 38 SPL (flat nickel primer) .....	.50
FJRN, copper washed steel jack.	REM UMC 38 SPL (nickel primer, no dash in headstamp) .....	.35
Shot, clear top wad	REM-UMC 38 SPL (flat nickel primer, nickeled case) .....	.75
158 grain LDRN	REM-UMC 38 S & W SPL (U on flat copper primer, seating cannl .34" from mouth)	.30
<u>Proof</u> , LDRN	REM-UMC 38 SPL (flat nickel primer, seating cannl .38" from mouth. These are in	
	An old Remington dogbone box with a "PROOF" sticker pasted on it.) .....	.50
148 grain FWC	REM-UMC 38 SPL (nickel case & primer, two cannl on case, Targetmaster brand)	.30
148 grain, Mid-Range WC	REM-UMC 38 S & W SPL (U on rounded nickel primer) .....	.30
Proof, 158 grain LDRN	REM-UMC 38 S & W SPL (flat nickel primer, these are from a Remington dogbone	
	box with a paste on lable saying "PROOF" ) .....	.35
<u>200 grain LDRN</u>	R-P 38 SPL (flat nickel primer) .....	.50
Glaser Safety Slug	R.P 38 SPL (flat nickel primer, nickel case. A small portion of the jacket and the	
	blue plastic nose plug protrude from the case mouth.....	2.00
Tear gas	R-P 38 SPL (nickel primer & case, aqua blue wad) .....	2.50
SNHP	R-P 38 SPL (nickel case & primer) .....	.25
SNHP	R-P 38 SPL + P (nickel case & primer) .....	.25
130 grain FJRN	R A 5 6 (flat nickel primer with blue seal) .....	.35
130 grain FJRN	L C 7 9 (flat tinned primer, designated PGU-12/B on box) .....	.35
148 grain FWC	LIBERTY 38 SPL (flat nickel primer) .....	.50
158 grain SNFN	LE 38 SPECIAL (flat nickel primer, Leader brand, box copy available) .....	1.00
158 grain Wesson pat. RN	W.R.A. (rounded nickel primer, bullet cap is copper) .....	.50
158 grain FJRN, "Lead bearing"	W R A 38 SPECIAL (nickel case & primer, copper jacket on bullet).....	.75
New primed empty	W.R.A. SUPER 38 SPL. (large rounded nickel primer with blue seal, one seating cannl.	.35
200 grain LDRN	WRA 38 SPECIAL (nickel primer, red seal, nickel case).....	.50
158 grain LDRN	WCC 1987 (flat nickel primer) .....	.30
FJRN, copper jacket	W C C 7 2 (flat nickel primer, red seal, knurled ring on bullet at case mouth) .....	.35
SNHP, high velocity	W C C 7 3 (nickel primer & case, Treasury Dept. loading from 70s) .....	.50
110 grain SNHP	WCC + P + 78 (note + P + in headstamp, high velocity for law enforcement) .....	1.00
FJRN, copper jacket	W C C 7 1 (flat brass primer) .....	.35
158 grain LDRN	W.C.CO. 38 S & W SP'L (rounded copper primer) .....	.30
Blank, tan wad	WESTERN .38 SPECIAL (flat brass primer, nickel case) .....	.25
148 grain FWC, Mid-range	WESTERN 38 SPECIAL (nickel case & primer, three cannl on case) .....	.30
148 grain FWC, Mid-range	WESTERN 38 SPECIAL (nickel primer, brass case with three cannl.) .....	.30
Dummy, FWC	WESTERN 38 SPECIAL (drilled nickel primer, hole in side of black case showing	
	wood rod insert, one knurled, one smooth cannl. in middle of case) .....	.40
158 grain Lubaloy RN	WESTERN 38 SPECIAL (small, rounded nickel primer, with red seal, nickeled case)	.35
Same	WESTERN 38 S&W SP'L (large rounded nickel primer, brass case).....	.40
Shot, blue wad	WESTERN .38 SPECIAL (rounded brass primer, specialty load for what????) .....	.50
<u>Tracer 148 grain FWC</u>	W-W 38 SPECIAL (nickel case & primer, tracer element is in hollow base of FWC,	
	Supposedly made for police training).....	.75
<u>200 grain LDRN</u>	W-W 38 SPECIAL (flat nickel primer) .....	.50
Dummy, Lubaloy RN	W-W 38 SPECIAL (nickel case, hole in nickel primer) .....	.50
Dummy, Lubaloy RN	W-W 38 SPECIAL (blackened case, hole in black primer) .....	.50

125 grain Silvertip	WINCHESTER 38 SPECIAL (nickel case & primer).....	.50
SNHP	W—SUPER—W 38 SPL (nickel primer & case).....	.60
LDRN	GG (entwined) * 38 S & W SPL * (rounded copper primer, by S.F.M., France) .....	.75
LDFWC	G & S 38 SPECIAL (flat nickel primer) .....	.35
158 grain LDRN	S.F.M. * 38 S & W SPL * ( <u>black powder load</u> , nickel primer) .....	.50
148 grain LD FWC	N CCI R 38 SPL (rounded brass primer, aluminum case) .....	.30
LDHP	N CCI R 38 SPL + P (flat alum. primer, aluminum case Blazer brand ) .....	.30
SNHP	N CCI R 38 SPL + P (rounded brass primer, alum. case, same) .....	.30
LDRN, long ogive	N CCI R 38 SPL + P (rounded brass primer, alum. case, same) .....	.30
LDRN, long ogive, 158 grain	N CCI R 38 SPL (flat nickel primer, alum. case) .....	.30
Same as above except for rounded brass primer.....		.30
LD full WC hollow base 148 gr.	N CCI R 38 SPL (rounded brass primer) .....	.30
SN tapered FN	NEVENS 38 SPECIAL (flat nickel primer) .....	.35
Hydra-Shok 148 grain	NATIONAL 38 SPL (flat nickel primer) .....	1.00
150 grain SNHP	P M C 38 SPL + P (nickel case & primer, red primer seal) .....	.35
Dummy, tubular copper bullet	P M C 38 SPL + P (blind primer pocket and single hole in nickel case) .....	1.50
FJRN	IVI 68 (flat brass primer) .....	.35
LD semi WC	IMI 38 SPL + P (flat brass primer with red seal) .....	.35
LDRN	nny .38 SPL (flat nickel primer with red seal, Israel) .....	.50
LDRN	38 S. & W. SP'L. (rounded copper primer, Int'l. Cartridge Co., Germany) .....	.50
SNFN	S & W .. 38 SPL + P .. (nickel case & primer) .....	.50
90 grain SNRN	S & W   38 SPL + P (nickel case & primer).....	.75
Nyclad semi WC	S & W . 38 SPL + P . (nickel case & primer) .....	.35
LDFWC	S B 38 SPL. (flat nickel primer, Spanish) .....	.50
LDFWC	S B 8 3 38 SPL (flat nickel primer) .....	.50
LDSWC	SB 38 SPL + P (flat nickel primer, Concord brand from the Philippines) .....	.50
SNHP	SB AE 38 SPL (flat nickel primer with green seal) .....	.50
LDSWC <u>Dummy</u>	SB 38 SPL + P (hole in nickel primer & in case side).....	1.00
110 grain SNFN	SUPER VEL .38 SPL. (flat nickel primer) .....	.35
SNHP	SUPER VEL 38 SPL (nickel primer & case) .....	.35
Dummy, SNHP	SPEER 38 SPL (no primer, nickel case) .....	.75
FJRN, tinned jacket	S.K.D. 38 S & W. SPL (flat tinned primer, Germany) .....	.50
LDRN	S.K.D. 38 S & W SPL (flat nickel primer, Germany) .....	.50
SN tapered HP	S & W .. 38 SPL + P .. (nickel case & primer) .....	.35
LDFWC	M MUS 7 .38 SPL (rounded nickel primer) .....	1.00
LDFWC	mus G .38 SPL 7 (small flattened nickel primer, Musgrave brand.....)	1.00
Multiplex load	MMI 38 SPL + P (three bullet loading, front one is SNHP, by Multiple Munitions)	4.25



USAC 38 Special



Palcher 38 Special

LDSWC	PALCHER . 38 SPL . ( <u>black plastic case</u> , nickel primer) .....	.50
158 grain LDRN	PETERS .38 S. & W. SP'L (round copper primer, single seating cannl.) .....	.25
115 grain LDRN	PETERS .38 S. & W. SP'L. (round copper primer, single seating cannl.) .....	.50
148 grain Mid-Range WC	PETERS .38 S. & W. SP'L (rounded copper primer, two seating cannl) .....	.30
Wesson patent RN	PETERS .38 S. & W. SP'L (rounded copper primer, bullet cap is tinned) .....	.50
Shot, grey wad	PETERS .38 S & W SP'L (large rounded nickel primer, possibly black powder) .....	.50
125 grain SNHP	PRECISION 38 SPL. (flat nickel primer) .....	.50
Solid copper FN	U S A C 38 SPL (white plastic case body, nickeled base & primer) .....	1.50
158 grain LDRN	U.S.C.CO. 38 S & W. SP'L (rounded nicklel primer with blue seal, two seating cannl) .....	.50
148 grain FWC	U.S.C.CO. 38 S & W. SP'L (rounded nickel primer with blue seal) .....	.50
158 grain LDRN	U.S.C.CO. 38 S & W SP'L (flat copper primer) .....	.50
158 grain LDRN	U.M.C. 38 S & W SP'L. (U on copper primer, single cannl. .80" from base) .....	.50
LDRN	U.M.C. 38 S & W SP'L. (plain rounded copper primer, no cannl. on case) .....	.50
148 grain FWC	STAR .38 SPECIAL (flat nickel primer) .....	.50
148 grain FWC	ZERO 38 SPL (brass case, nickel primer) .....	.50
LDFWCHP	ZERO 38 SPL + P (nickel case & primer) .....	.50
158 gr, LD Semi WC	ZERO 38 SPECIAL (flat nickel primer, maroon seal) .....	.60
Plastic Training round	Plain base, case & bullet are blue plastic, battery cup type primer, German .....	.50
SN tapered HP	Geco 38 SPECIAL (all red primer) .....	.50



148 grain FWC	3-D 38 SPECIAL (flat nickel primer, red seal) .....	.35
Actuator ctg. For device #3F15	Plain base with very large rounded brass primer, held in with a square crimp. Made by Western Ctg. Co., full info from box with each round. ....	1.50
Simunition training round	Plain flat base on <u>aluminum case</u> , flat nickel primer. The bullet is a six segment, plastic RN in which can be seen pink paint for marking a target. These have only a .90" case, with an overall of 1.2". Supposedly a government agency training load. ....	2.50
#9 Shot, opaque green sabot	SPEER 38 SPECIAL (nickel primer and case) .....	.60
Full wadcutter	LAPUA 38 SPL (flat brass primer).....	.60
158 grain LDRN	★—★ 38 SPL (flat nickel primer, Starline brass loaded by Master Ctg. Co. ....	.50
125 grain SNHP	Same as above.....	.50
130 grain LDSWCHP	Same as above .....	.50

**38 Special AMU & Semi-Rimmed**

148 grain FWC	REM-UMC 38 (case & primer nickeled, blank space where AMU should be) ..	.50
---------------	---	-----

**38 Colt Special**



**Proof load**

Proof, LDFN	REM-UMC 38 COLT SPL (blackened case with flat nickel primer) .....	1.00
LDFN	U.S.C.CO. 38 COLT SPL (rounded copper primer) .....	1.50

**38-44 Smith & Wesson Gallery**

Deep seated ball	W.R.A.CO. 38-44 (copper primer, 1.47" case, ball seated .80" from mouth) .....	3.50
Deep seated ball	U.M.C. .38-44 (copper primer) .....	3.50

**38-44 Smith & Wesson Target**

LDRN, seated flush	W.R.A.CO. 38-44 (copper primer) .....	3.50
LDRN, seated flush	U.M.C. .38-44 (copper primer, bullet just below case mouth) .....	3.50
LDRN, seated flush	Plain with copper primer, mfg. unknown, look like early UMC .....	3.50
New primed empty	U.M.C. .38-44 (copper primer) .....	2.50

**38-44 S & W Special**

Tinned cap RN	REM-UMC 38-44 SPL (flat nickel primer) .....	4.00
---------------	--	------

**38 Merwin & Hulbert**

LDRN with knurled groove	Plain base with flat copper primer .....	1.50
--------------------------	--	------

**380 Auto (See 9mm Kurz)**



**380 MAC SMG**

130 gr. FJRNMAC 380 SMG (flat nickel primer with maroon seal. These are specifically loaded hot for MAC M11 SMG's. <u>Not to be used in a 380 handgun</u> ) .....	4.50
---	------

**380 Revolver, Mark II**

FJRN, copper jacket	K 380 2Z (flat brass primer) .....	.50
FJRN	CIS GC 380 2Z (flat nickel primer) .....	1.00

**380 Short Revolver**

Dummy with LDRN	KYNOCH .380 (empty two hole Berdan pocket, single knurled ring on bullet) .....	1.25
LDRN	Plain base with battery cup primer, .74" <u>copper case</u> , 1.20" oal. ....	1.25
Same except for brass case.....	.....	1.25
LDRN	380 C.F. ( <u>raised headstamp</u> , rounded copper primer) .....	.50
LDRN	* .380. * (flat copper primer) .....	.60
LDRN, waxed	GG (entwined) 380 ( <u>raised headstamp</u> , centerfire-inside primed, .70" case) .....	.60
Blank, open 6 petal rose crimp	GG (entwined) 380 ( <u>raised headstamp</u> , centerfire-inside primed, .665" oal) .....	.50
Blank, flattened 6 petal rose crimp	380 C.F. ( <u>raised headstamp</u> , centerfire-inside primed, oal is .565") .....	.50
LDRN	380 C.F. (raised headstamp on centerfire-inside primed brass case) .....	.50
LDRN	R.W.S. .380 (flat brass primer, black seal. .675 case length) .....	.50
LDRN	KYNOCH 380 (rounded copper primer, .70" case length) .....	.50
Blank, 6 petal rose crimp	KYNOCH .380 (ICI logo on brass primer, .680" case length) .....	.50
LDRN with knurled ring	Plain with small copper primer, case length .69", oal is 1.00", mouth crimp has a slight pucker to it.....	.35

LDRN	Plain with copper primer, case length .64", oal is 1.05", from Braun & Bloem box ...	.35
LDRN	.ELEY. .380 (copper primer, case length .68", oal 1.8") .....	.50
LDRN	D GECO D 380 (flat copper primer, case length .69", oal 1.03) .....	.50
<b><u>380 Long Revolver</u></b>		
Full length shot, white wad	GG (entwined) 380 ( <u>raised headstamp</u> . centerfire-inside primed 1.10" necked case)	.60
Blank, 8 petal rose crimp	Plain base with brass primer, oal is .90") .....	.75
Blank, 7 petal rose crimp	KYNOCH 380 (copper primer, oal is 1.25") .....	1.50
<b><u>400 Cor-Bon</u></b>		
155 grain BHP	* 400 * COR-BON (flat nickel primer. Rated at 1330 FPS, this is a necked 45 ACP for drop in barrels to be used in existing M1911 Colt autos. This to allow flatter shooting, harder hitting HP ammo with no modification of the existing gun other than the new barrel).....	1.50
165 grain FJHP	Same as above, velocity rated at 1330 fps .....	1.50