

<u>Caliber-Loading</u>	<u>Headstamp-Description</u>	<u>Price</u>
------------------------	------------------------------	--------------

**Ballistic Metals Duplex Loads:** These are mixed calibers, so I'll bunch them here so as not to scatter them out on several pages. These feature a conventional SN bullet ahead of a full wadcutter lead slug. Cases are brass, bullet jackets are copper.



All calibers are loaded in this same configuration.

<b>9 mm Luger</b>	130 grain total	WIN 9mm LUGER (flat nickel primer, red seal, front bullet is a FJHP).....	2.50
<b>10mm Auto</b>	200 grain total	WINCHESTER 10MM AUTO (flat nickel primer, red seal, front bullet is a FJHP ..	2.50
<b>44 Magnum</b>	300 grain total	W-W SUPER 44 REM MAG (flat nickel primer, front bullet is a conical SNHP).....	2.50

**17 Rem. Fireball**

20gr. Accutip	R-P 17 REM FIREBALL (flat brass primer).....	2.75
---------------	--	------

**221 Remington Fireball**

50 grain SNPTD	R-P 221 REM (nickel primer) .....	.60
50 grain SNPTD	R-P 221 REM (brass primer) .....	.60

**22 Remington Jet**



SNPTD	R-P REM JET (flat nickel primer) .....	1.50
PROOF, SNPTD	R-P22 REM CFM (maroon base on a nickel case) .....	3.50

**25 Auto (see 6.35mm in metric pistol)**

**25 NAA**

35 Grain JHP	C-B 25 NAA (flat nickel primer).....	1.25
--------------	--------------------------------------	------

**223 Timbs**



55 grain SXSP	* — * 7.62 x 25 (flat nickel primer. By Quality Cartridge) .....	2.25
---------------	--	------

**30 Herrett**



110 grain V-Max	QUAL-CART 30 HERRETT (flat nickel primer) .....	5.00
-----------------	---	------

**30 Mauser (see 7.63 Mauser)**

**30-221 Remington**



220 grain HPGT	Q-C 30-221 (flat nickel primer) .....	2.25
----------------	---------------------------------------	------

**300 AAC Blackout**

220 gr.FJOPE	R-P 300 AAC BLACKOUT (nickel primer, copper bullet jacket).....	2.75
--------------	---	------



**300 Whisper**

125 gr. FJHP	R-P 221 REM FIREBALL (flat brass primer, loaded by Cor-Bon) .....	2.25
220 gr. FJHP, Sub-sonic	Same as above.....	2.25

**300 GNR**



55 grain Accelerator	R-P 30-30 WIN (flat nickel primer, by Raven Custom Ammo, box copy available) ....	2.60
110 grain SNRN	Same as above .....	2.60

**30 Luger (see 7.65 Luger)**

**32 NAA**

60 grain JHP

COR-BON 32 NAA (flat nickel primer) .....

1.00



**32 Automatic, see 7.65 Browning**

**32 Short Colt**

LDRN

D.C.CO. 32 S.C. (rounded copper primer, black powder) .....

.30

80 grain LDRN

REM-UMC 32 S C F (nickel primer) .....

.25

Lubaloy RN

WESTERN 32 SHORT COLT (rounded nickel primer).....

.40

LDRN

U.S.C.Co 32 S.C. (US entwined on a brass primer).....

.40

**32 H & R Magnum**

Proof, SNHP

F C 32 H & R MAG (red base & bullet, nickered case) .....

1.50

SNHP

FC 32 H & R MAG (flat brass primer with red seal).....

1.00

**32 Smith & Wesson**

Gallery, single LD ball

U.M.C. 32 S & W. (copper primer).....

3.50

Same


REM-UMC 32 S & W (U on copper primer) .....

3.50

Self lubricating LDRN

U.M.C. 32 S & W (rounded copper primer, four weep holes in bullet side).....

22.50



LDRN

S C.C.C. H 32 S & W. (rounded copper primer, slight belt on bullet right at the case mouth. What I can read on the box says "AIM STRAIGHT AND THEY ARE SURE .PARALYZERS" "CREEDMORE CARTRIDGE CO." Could not find these in any old dealer lists, think this a pretty rare headstamp, probably made by U.M.C.) .....

5.00

LDRN, "Quick Shot"

Q PETERS S 32 S. & W. (copper primer) .....

.50

**32 Smith & Wesson Long**

LDRN, self lubricating

U.M.C. 32 S & W L (rounded copper primer, four lube holes in bullet ogive) .....

20.00

Same

REM-UMC 32 S & W L (flat copper primer).....

20.00



**32 Colt New Police**

LDFN

WESTERN .32 COLT N.P. (rounded nickel primer) .....

.35

LDFN

W.R.A.CO. .32 COLT N.P. (nickel primer with maroon seal) .....

.35

LDFWC

REM-UMC 32 COLT N P (nickel primer) .....

.25

LDRN

U.S.C.CO. 32 COLT N.P. (nickel primer with purple seal) .....

.30

**32-44 Smith & Wesson**

Gallery, deep seated lead ball

U.M.C. 32-44 (flat copper primer, ball weight is 83 grains) .....

5.00

Gallery, ball seated to case mouth

Same as above, 83 grain ball, 11 grains powder, this is the 50 yard loading .....

5.00

Gallery, ball seated to case mouth

W.R.A.CO. 32.44 S & W. (flat copper primer, 50 yard loading) .....

5.00

Gallery, deep seated lead ball

Same as above .....

5.00

Gallery, deep seated lead ball

Plain base with a copper primer, general appearance says these from U.M.C. ....

3.00

**35 Smith & Wesson Automatic**

Capped RN with locking tabs

REM-UMC 35 S & W (U on nickel primer) .....

7.50



**356 GNR**



125 grain JHP

★—★ 41 MAG (flat nickel primer, box labels copy available).....

3.25

**357 Smith & Wesson Magnum**

SNFN

JORDAN 357 MAG (brass primer, copper bullet jacket) .....

1.50

158 grain Tunnel Point




MIDWAY 357 MAG (flat nickel primer) .....

2.25

158 grain Metal Penetrating

SUPER-X 357 MAGNUM (nickel case & primer).....

2.00

Same	W-W SUPER 357 MAGNUM (nickel case & primer) .....	2.00
Duplex 175 grain total	WINCHESTER 357 MAG (flat nickel primer, red seal. Front bullet is a SNHP, the rear one an all lead FWC design. By Ballistic Metal.) .....	2.00
Glaser Safety Slug	R.P 357 MAGNUM (flat nickel primer, nickel case. Pink plastic nose plug protrudes slightly from case mouth) .....	2.00
Multiball, two 70 gr. LD balls	R-P 357 MAGNUM (flat nickel primer) .....	1.00
Dummy, LDSWC	REM-UMC 357 MAGNUM (hole in nickel primer, nickel case) .....	.50
Dummy, Lubaloy SWC	W-W- SUPER 357 MAGNUM (black case with hole in black primer) .....	.50
Contender shot load	W-W SUPER 357 MAGNUM (nickel case & primer, milk white shot sabot, oal is 2.66")	1.00
180 grain SXT Black Talon	WINCHESTER 357 MAG (nickel case & primer) .....	2.00
125 grain Hydra-Shok	HYDRA-SHOK 357 MAG (nickel case & primer with red seal) .....	.75
158 gr. Hydra Shok	HYDRA-SHOK 357 MAG (nickeled case & primer, original UDL (Urban Defense Loads) with all lead bullet) .....	2.00
Hydra-Shok 148 grain	NATIONAL 357 MAG (nickel primer) .....	1.00
New empty	TEXAS 357 MAG (no primer, nickeled case) .....	.50
<b><u>357 Remington Maximum</u></b>		
Proof, SNHP	R-P 357 REM MAX (red base & bullet, case nickeled) .....	2.50
<b><u>357 Auto Magnum</u></b>		
158 grain SNHP	R-P .308 WIN (a D.K.T. wildcat) .....	2.50
<b><u>360 Dan Wesson</u></b>		
158 gr. JHP	★—★ 360 DW (flat nickel primer. From Wesson Firearms Co. boxes).....	2.20
		
170 gr. JHP	Same as above .....	2.20
180 gr. FPJ	Same as above .....	2.20
<b><u>38 Short Colt, Short case .70" case</u></b>		
LDRN	R-P 38 SH COLT (flat nickel primer) .....	1.50
<b><u>38 Short Colt</u></b>		
130 grain Lubaloy RN	W-W 38 SHORT COLT (flat nickel primer with red seal) .....	.30
LDRN	W.R.A.CO. .38 S. (rounded copper primer) .....	.30
<b><u>LDRN</u></b>	<b>U.M.C. 38.SHORT. (flattened copper primer) .....</b>	<b>.35</b>
LDRN with knurled ring	PETERS .38 S. (rounded nickel primer) .....	.35
<b><u>38 Colt New Police</u></b>		
LDFN	Plain base with beveled rim, rounded copper primer .....	.30
150 grain LDFN	REM-UMC 38 COLT N P (flat nickel primer) .....	.25
LDFN	W.R.A.CO. 38 COLT NP (rounded nickel primer with purple seal).....	.35
<b><u>38 Smith &amp; Wesson</u></b>		
Lubaloy, blunt 200 grain RN	WESTERN 38 S.&W. (rounded nickel primer) .....	.50
200 grain LDRN	WESTERN .38 S. & W. (rounded nickel primer).....	.75
Shot, wood sabot	REM-UMC 38 S & W (flat nickel primer).....	4.00
		
		
<b><u>Proof</u></b> LDRN	REM-UMC 38 S & W (blackened case, nickel primer) .....	.50
<b><u>Gallery</u></b> , LD ball	U.M.C. .38 S & W (copper primer) .....	.50
<b><u>Pavement marker</u></b> , red wax bullet	WESTERN 38 S. & W. (copper case with nickel primer) .....	.30
<b><u>36/38 Smith &amp; Wesson</u></b>		
LDFN, 1 <sup>st</sup> version.	Plain oval base with a copper Farrington primer .....	65.00
LDFN, 2 <sup>nd</sup> version	Plain base with a rounded copper primer. Copper washed brass case. ....	50.00
<b><u>38 Smith &amp; Wesson Special</u></b>		
158gr, FJRN	P-R 38 SPL (nickel case & primer. Mexican brand).....	3.00
33 grain Hypersonic HP	S.A. 38 SPECIAL (nickel primer with blue seal, the bullet is an aluminum HP.) .....	3.00
Dummy LDSWC	SB 38 SPL + P (hole in flat nickel primer).....	.75
150 grain Metal Penetrating	SUPER-X 38 SPECIAL (flat nickel primer, brass case).....	2.00
Same	SUPER SPEED 38 SPECIAL (rounded nickel primer, nickeled case).....	2.00
Same	W-W SUPER 38 SPECIAL (nickel case & primer, two smooth cannl. on case).....	2.00
158 grain SWC	AMTECH 38 SPL (flat nickel primer ion an aluminum head, rest of case is white plastic. Called "Composite Case" ammunition. ....	1.50



Amtech composite case		
Hydra-Shok 148 grain, U.D.L.	HYDRA-SHOK .38 SPL ("Ultimate Defense Load", nickel case & primer) .....	.50
Hydra-Shok Copperhead	HYDRA-SHOK 38 SPL (nickel case & primer) .....	.75
Hydra-Shok SN	FEDERAL 38 SPECIAL (Nick. Case & primer, red primer seal).....	1.00
<u>Proof, LDRN</u>	REM-UMC 38 SPL (flat nickel primer, seating cannl. .38" from mouth. These are in An old Remington dogbone box with a "PROOF" sticker pasted on it.).....	.50
Proof, 158 grain LDRN	REM-UMC 38 S & W SPL (flat nickel primer, these are from a Remington dogbone box with a paste on lable saying "PROOF" ) .....	.35
<u>200 grain LDRN</u>	R-P 38 SPL (flat nickel primer) .....	.50
Glaser Safety Slug	R.P 38 SPL (flat nickel primer, nickel case. A small portion of the jacket and the blue plastic nose plug protrude from the case mouth.....	2.00
Tear gas	R-P 38 SPL (nickel primer & case, aqua blue wad).....	2.50
Dummy, FWC	WESTERN 38 SPECIAL (drilled nickel primer, hole in side of black case showing wood rod insert, one knurled, one smooth cannl. in middle of case) .....	.40
Shot, blue wad	WESTERN .38 SPECIAL (rounded brass primer, specialty load for what????) .....	.50
<u>Tracer 148 grain FWC</u>	W-W 38 SPECIAL (nickel case & primer, tracer element is in hollow base of FWC, Supposedly made for police training).....	.75
Dummy, Lubaloy RN	W-W 38 SPECIAL (nickel case, hole in nickel primer) .....	.50
Dummy, Lubaloy RN	W-W 38 SPECIAL (blackened case, hole in black primer) .....	.50
Hydra-Shok 148 grain	NATIONAL 38 SPL (flat nickel primer) .....	1.00
Dummy, tubular copper bullet	P M C 38 SPL + P (blind primer pocket and single hole in nickel case) .....	1.50
<u>LDSWC Dummy</u>	SB 38 SPL + P (hole in nickel primer & in case side) .....	1.00
Dummy, SNHP	SPEER 38 SPL (no primer, nickel case) .....	.75
Multiplex load	MMI 38 SPL + P (three bullet loading, front one is SNHP, by Multiple Munitions)	4.25




USAC 38 Special



Palcher 38 Special

Plastic Training round	Plain base, case & bullet are blue plastic, battery cup type primer, German .....	.50
Actuator ctg. For device #3F15	Plain base with very large rounded brass primer, held in with a square crimp. Made by Western Ctg. Co., full info from box with each round if requested.....	1.50
Simunition training round	Plain flat base on <u>aluminum</u> case, flat nickel primer. The bullet is a six segment, plastic RN in which can be seen pink paint for marking a target. These have only a .90" case, with an overall of 1.2". Supposedly a government agency training load. ....	2.50
#9 Shot, opaque green sabot	SPEER 38 SPECIAL (nickel primer and case).....	.60

**38 Colt Special**



Proof load with blackened case

Proof, LDFN	REM-UMC 38 COLT SPL (blackened case with flat nickel primer) .....	3.00
LDFN	W.R.A.CO. .38 COLT SPL (flattened copper primer).....	2.50
<b><u>38-44 Smith &amp; Wesson Gallery</u></b>		
Deep seated ball	W.R.A.CO. 38-44 (copper primer, 1.47" case, ball seated .80" from mouth) .....	4.50
Deep seated ball	U.M.C. .38-44 (copper primer) .....	4.50
<b><u>38-44 Smith &amp; Wesson Target</u></b>		
LDRN, seated flush	W.R.A.CO. 38-44 (copper primer) .....	4.50
LDRN, seated flush	U.M.C. .38-44 (copper primer, bullet just below case mouth) .....	4.50
New primed empty	U.M.C. .38-44 (copper primer) .....	2.50
LDRN, seated flush	Plain with copper primer, mfg. unknown, look like early UMC.....	4.50
<b><u>38 Merwin &amp; Hulbert</u></b>		
LDRN with knurled groove	Plain base with flat copper primer .....	2.50
<b><u>380 Auto (See 9mm Kurz in Metric list)</u></b>		
<b><u>380 Short Revolver</u></b>		
Dummy with LDRN	KYNOCH .380 (empty two hole Berdan pocket, single knurled ring on bullet) .....	1.25
LDRN	Plain base with battery cup primer, .74" <u>copper case</u> , 1.20" oal. ....	1.25
Same except for brass case.....		1.25
LDRN	380 C.F (raised headstamp, rounded copper primer) .....	.50
LDRN	* .380. * (flat copper primer) .....	.60
LDRN, waxed	GG (entwined) 380 (raised headstamp, centerfire-inside primed, .70" case) .....	.60
Blank, open 6 petal rose crimp	GG (entwined) 380 (raised headstamp, centerfire-inside primed, .665" oal) .....	.50
Blank, flattened 6 petal rose crimp	380 C.F (raised headstamp, centerfire-inside primed, oal is .565") .....	.50

LDRN	380 C.F. (raised headstamp on centerfire-inside primed brass case)	.50
LDRN	R.W.S. .380 (flat brass primer, black seal. .675 case length)	.50
LDRN	KYNOCH 380 (rounded copper primer, .70" case length)	.50
Blank, 6 petal rose crimp	KYNOCH .380 (ICI logo on brass primer, .680" case length)	.50
LDRN with knurled ring	Plain with small copper primer, case length .69", oal is 1.00", mouth crimp has a slight pucker to it.....	.35
LDRN	Plain with copper primer, case length .64", oal is 1.05", from Braun & Bloem box ...	.35
LDRN	.ELEY. .380 (copper primer, case length .68", oal 1.8")	.50
LDRN	D GECO D 380 (flat copper primer, case length .69", oal 1.03)	.50
<b><u>380 Long Revolver</u></b>		
Full length shot, white wad	GG (entwined) 380 ( <u>raised headstamp</u> , centerfire-inside primed 1.10" necked case)	.60
Blank, 8 petal rose crimp	Plain base with brass primer, oal is .90")	.75
Blank, 7 petal rose crimp	KYNOCH 380 (copper primer, oal is 1.25")	1.50
<b><u>400 Cor-Bon</u></b>		
155 grain BHP	* 400 * COR-BON (flat nickel primer. Rated at 1330 FPS, this is a necked 45 ACP for drop in barrels to be used in existing M1911 Colt autos. This to allow flatter shooting, harder hitting HP ammo with no modification of the existing gun other than the new barrel).....	1.50
165 grain FJHP	Same as above, velocity rated at 1330 fps	1.50
<b><u>401 Herter's Magnum</u></b>		
LDSWC	.HERTER'S. .401 MAG. (large flat nickel primer).....	2.50