








AMERICAN-BRITISH PISTOL 41 to 80 caliber

Updated 4-1-17

<u>Caliber-Loading</u>	<u>Headstamp-Description</u>	<u>Price</u>
<u>41 (410) Derringer Centerfire</u>		
LDRN	Plain flat base with a small flat copper primer. I think by Eley.	15.00
LDRN	GAUPILLAT PARIS (raised on a centerfire-inside primed brass case).....	16.00
 410 Derringer by Eley	 410 Derringer by Gaupillat	
<u>41 Single Action, Short case, (.631 to .650" case)</u>		
		
LDRN	W.R.A.CO. 41 S.C. (copper primer, .635" case)	1.50
LDRN	W.R.A.CO. 41 S.C. (rounded nickel primer, .635" case).....	1.50
LDRN	Plain with copper primer. .632" case	1.50
LDRN	REM-UMC 41 SHORT (rounded nickel primer, .635" case).....	1.50
LDRN	.ELEY. 410 LONDON (flat copper primer)	7.50
LDRN	U.M.C. .41 SHORT. (copper primer)	1.50
Blank, tan wad	U.M.C. .41 SHORT. (copper primer, mouth crimped in almost forming a shoulder) .	1.25
<u>41 Short Colt, Double Action, Short case (.608" to .624" case)</u>		
		
LDRN	D.C.CO. 41 S.D.A. (rounded copper primer, .62" case, oal is 1.1"	1.25
Blank, tan wad	W.R.A.CO. .41 S.D.A. (copper primer, case .626" long)	1.35
<u>41 Short Colt, Double Action, Long case, (.77" to .785" case)</u>		
		
LDRN	PETERS .41 S.D.A. (rounded copper primer, .78" case, 1.16 oal)	2.00
<u>41 Long Colt, inside lubricated</u>		
186 grain LDRN	OWS 41 COLT (flat brass primer, Old Western scrounger).....	1.50
Blunt LDFRN	. ELEY . LONDON (flat copper primer)	3.50
<u>41 Long Colt, Double Action, Outside lubricated</u>		
		
LDRN	Plain flat base with a small flat copper primer, case about .93", oal 1.42").....	4.00
<u>41 Action Express</u>		
Proof, 200 grain truncated FJFN	IMI 41 AE (flat nickel primer with red seal, tinned case)	1.00
200 grain truncated FJFN	IMI 41 AE (flat nickel primer with red seal).....	1.50
210 grain FJHP	SPEER 41-AE (flat nickel primer)	1.75
210 grain XTP	QUAL-CART 41 AE (flat nickel primer).....	2.50
<u>41 Remington Magnum</u>		
Exploder FN	W-W SUPER 41 REM MAG (nickel primers, yellow bullet tips)	2.00
SNHP	HI-PER 41 REM MAG (nickel primer, red seal)50
LDSWC	R-P 41 MAGNUM (flat nickel primer)50
SNFN	R-P 41 MAGNUM (flat nickel primer)50
LDSWCHP	R-P 41 MAGNUM (flat nickel primer)50
200 grain LDSWCHP	N CCI R 41 MAG (flat nickel primer, aluminum case. Blaser brand)50

44 Remington Magnum

Dummy, SNHP	W-W SUPER 44 MAGNUM (solid bottom, no dummy primer or primer pocket)	3.00
		
300 grain SJHP	★—★ 44 MAG (flat nickel primer Case is gray colored with NP-3 coating as a self lubricating agent. Loaded by Triton Co.)	1.50
Same as above except for 200 grain SNHP bullet.....		1.50
Duplex, 300 grain total	W-W SUPER 44 REM MAG (flat nickel primer, red seal. Front bullet is a conical SNHP, The second one a lead FWC. By Ballistic Metal.)	2.00
180 gr. Hydra-Shok Half Jacket	W-W SUPER 44 REM MAG (flat nickel primer with red seal, bullets are half jacketed)	3.00
180 grain SN Hydra-Shok	norma .44 MAGNUM (flat nickel primer).....	2.00
SNFN	BUFFALO HVY .44 MAG. (flat nickel primer, 300 grain bullet is loaded to 1300 fps, only for Ruger, Colt Anaconda, Winchester & Marlin rifles)	3.00
230 grain LDSWCHP	MASTER 44 REM MAG (nickel primer, red seal)50
240 grain SNHP	MASTER 44 REM MAG (flat nickel primer with red seal)	1.00
240 grain SWC	P M C 44 REM MAG (flat nickel primer)	1.00
240 grain Copper plated SWC	Same as above.....	1.00
240 grain LDSWC	IMPACT 3 44 MAG D (flat nickel primer)50
SNFN	SPEER 44 MAG (brass primer)60
SNHP	SPEER 44 MAG (brass primer, HP cavity is five sided)60
SNHP	S & W - 44 MAG - (flat brass primer)60
New empty	TEXAS 44 MAG (nickeled case, no primer)50
220 grain "Profiled" bullet	F C 44 REM MAG (nickeled case & primer, bullet is truncated SN)50
SNHP	FC 44 REM MAG (flat nickel primer, bullet has truncated profile)75
SNHP	SAKO 44 MAG (copper primer)75
Silvertip HP	W-W SUPER 44 REM MAG (flat nickel primer)75
250 grain SXT HP	W-W SUPER 44 REM MAG (nickel case & primer)	1.00
Dummy, copper clad SWC	W-W SUPER 44 MAGNUM (case blackened, copper primer has hole in center)	1.00
Dummy, SNHP	W-W SUPER 44 MAGNUM (case blackened, hole in blackened primer)	1.00
Glaser RN, blue tip	W-W SUPER 44 REM MAG (flat nickel primer with maroon seal)	2.50
LDSWC	HI-PER 44 REM MAG (flat nickel primer with red seal)50
LDSWC	Base has been lightly machined to remove AMRON headstamp, was sold under another brand name, Flat nickel primer.60
LDSWC	REM-UMC 44 MAGNUM (flat nickel primer)60
SNHP, copper jacket	N CCI R 44 MAG (flat nickel primer, aluminum, non-reloadable case)65
240 grain LDSWC	Same as above.....	.75

44 Bull Dog Revolver



44 Bull Dog

- Black powder blank
- Blank
- LDRN
- LDRN
- LDRN
- LDRN



Peters Bull Dog blank

- U.M.C. .44 B. DOG (small rounded copper primer, grey paper wad, taper crimp) .. 2.50
- PETERS .44 B.DOG. (flattened copper primer, pink wad secured with severe taper crimp) 2.00
- PETERS .44 BULL DOG (nickel primer)
- 3.00
- U.M.C. .44 B.DOG. (large copper primer)
- 3.00
- REM-UMC 44 B DOG (small nickel primer).....
- 3.00
- Plain flat base with a lrgre copper primer. Don't lknow mfg
- 2.50

44 Magnum for Contender

- #4 shot, blue plastic sabot norma .44 magnum (same as above)
- .75

44 Smith & Wesson Russian (see Suydam, U.S. Cartridges and their handguns, pages 210 & 211)



44 Russian 1st model

- LDRN
- LDRN
- LDRN
- LDRN, two grooves showing
- LDRN, two grooves showing



44 Russian multi-ball

- U.M.C. 44 S & W.R (rounded copper primer).....
- 1.50
- WRA 44 S & W RUS. (large flat nickel primer)
- 1.50
- W.R.A.CO. .44 S.& W.R. (copper primer)
- 2.00
- Plain base with .225" dia. flat copper primer, case length .950", oal is 1.44"
- 3.00
- Plain base with .275" dia copper primer, same approximate dimensions as above
- 3.00



Russian gallery load

LDRN two exposed grooves	.ELEY.LONDON .44 R. (small copper primer)	15.00
Tunnel point	P M C 44 S & W SPL (bullet is hollow tube with fall away base)	1.00
LDRN	REM-UMC 44 S & W R (flat nickel primer)	.75
Same except for flattened copper primer		.75
Shot, wood sabot	U.M.C. .44 S & W. R (copper primer)	4.50
Multi-ball, green paper sabot	Plain, slightly rounded base, small copper primer)	17.50
Gallery, LD ball	U.M.C. .44 S & W. R (copper primer, ball seated about .26" below case mouth)	2.50
Same except for U on copper primer and seating groove half way down case		2.50
Gallery, LD ball	Plain flat, beveled rim, large rounded copper primer. Ball seated .31" from mouth	2.00
LDRN	G.F.L. 44 S.W.R. (flat nickel primer, by Fiocchi)	.75
LDRN	PETERS .44 S.& W.R. (large copper primer)	1.50
LDRN	P-R 44 S & W R (nickel primer, Mexican mfg.)	4.00

44 Auto Mag.

240 grain XTP (FJHP)	★— ★ 44 AUTO MAG (flat nickel primer, Starline brass, loaded by Quality Ctg.)	2.25
Conical SN, steel jacket	norma .44 AUTO MAG (flat nickel primer, dimple in bullet nose)	2.50

44 Colt



Blunt LDRN, one exposed groove	U.S. 44.COLT (copper primer)	3.00
LDRN, long ogive	W.R.A.CO. .44 COLT (W on rounded brass primer, bullet banded at case mouth)	3.00
Same except no band	W.R.A.CO. .44 COLT (large rounded copper primer)	3.00
LDRN, long ogive	Plain flat base with small flat copper primer)	2.50
Same	Plain flat base with large rounded copper primer)	2.50
LDRN, long ogive	U.M.C. 44 COLT. (copper primer)	2.50
LDRN, long ogive	REM-UMC 44 COLT (copper primer)	2.50
Same as above except for flat nickel primer		2.50

44 Smith & Wesson Special



Turkish contract 44 Special

Turkish contract	(symbol) REM-UMC 44 S & W SPL (U on rounded copper primer. There is a Turkish symbol just before the REM-. See picture. The bullet is a tinned cap RN)	4.00
230 grain LDHP	R-P 44S & W SPL (flat nickel primer. Loaded by Master Cartridge Co.)	1.00
230 grain Hydra-Shok	W-W 44 S & W SPL (flat nickel primer. These are the original loads by Hydra-Shok using the all lead bullet as opposed to the more recent half jacketed ones.)	3.00
246 grain LDRN	W-W 44 S & W SPL (rounded nickel primer with maroon seal)	.75
LDRN	W-W 44 S & W SPL (flat nickel primer)	.75
Hi-velocity HP	MIDWAY 44 S & W SPL (bullet is a .35" HP insert in a white plastic sabot)	2.50
LDRN	W R A 44 S & W SPL (rounded nickel primer, NO CANNL case)	1.50
LDRN	W.R.A.CO. .44 S. & W. SP'L (flat nickel primer, no cannl.)	.50
Lubaloy RN	WESTERN .44 S. & W. SP'L (rounded nickel primer)	.60
Conical Tunnel Point	P M C 44 S & W SPL (flat nickel primer, red seal)	2.00
LDRN	P-R 44 S & W SPL (nickel primer, Mexican brand)	3.50
FWC, mid range	PETERS .44 S. & W. SPL. (copper primer)	.50
Wesson pat. RN, tinned cap	PETERS 44 S. & W. SPL (copper primer)	1.50
Wesson pat. RN, tinned cap	REM-UMC 44 S & W SPL (nickel primer)	1.50
LDRN	REM-UMC 44 S & W SPL (rounded nickel primer)	.50
Same except for flat nickel primer		
LDFWC, mid-range	REM-UMC 44 S & W SPL (U on copper primer)	.50
240 gr. LDFN	- CBC – 44 S & W SPL (flat brass primer)	.55
180 gr. SNHP	HORNADY 44 S & W SPL (flat nickel primer)	.60
LDSWCHP	FC 44 S & W SPL (flat nickel primer with red seal)	.70
LDRN	U.S.C.Co. 44 S.& W. SP'L (flat nickel primer)	1.50
LDRN	U.S.C.CO. 44 S & W SP'L (US entwined on copper primer)	2.00
Glaser RN	W-W 44 S & W SPL (nickel primer, pink nose plug)	4.50

44 Webley Revolver



44 Webley by W.R.A.CO

44 Webley inside lube

LDRN, 1 knurled ring	W.R.A.CO. 44 WEB (small flat copper primer).....	2.50
200 grain LDRN	U.M.C..44 WEBLEY. (rounded copper primer)	2.50
LDRN	PETERS .44 WEBLEY (rounded copper primer)	2.50
Blank, grey wad	PETERS .44 WEBLEY. (rounded copper primer)	2.00
LDRN	Plain with a large brass primer	2.50
LDRN	Plain with small copper primer, mfg not known	2.00
LDFN, inside lube	Plain flat base with a flattened copper primer. Identified by Fred Datig, see his book U.S. Ctgs. & Their Handguns, page 196. made by Worcester Metallic Ctg.Co.	7.50
Blank	REM-UMC 44 WEB (copper primer, grey wad)	1.50
LDRN	REM-UMC 44 WEB (rounded nickel primer)	3.00
Same as above except for flat nickel primer		3.00
Same as above except for copper primer.....		3.00

440 Cor-Bon Magnum

305 Grain "Penetrator" RN	SPEER 50 AE (flat nickel primer. These are Cor-Bon factory loads on Speer cases, box copy available)	5.00
260 grain "Bonded core" FN	IMI .50 AE (flat nickel primer, from Cor-Bon boxes).....	4.00


440 Argentine Nagant



440 Argentine Nagant

LDRN	GG (entwined) 440 (rounded brass primer)	17.50
------	--	-------


442 Revolver



442 Revolver

LDRN	ELEY 442 (small copper primer).....	6.25
LDRN	Plain with small copper primer. The bullets have mould seams on them and two distinct bands. Overall length is 1.20". Look to be very early mfg., see picture.	4.50
LDRN, waxed	Plain with small flat copper primer. The bullets have one exposed grease groove and are heavily waxed. Oal is only 1.13".	3.50

445 Gates Super Magnum



445 Gates

New primed empty	GATES 445 (nickel primer, essentially a 1.60" long 44 mag. case)	1.25
180 grain SNHP	★—★ 445 SUPER MAG (flat nickel primer).....	2.25
240 grain SNHP	★—★ 445 SUPER MAG (flat nickel primer).....	3.00

5-in-1 blank

Blank, fiber wad	REM-UMC 5-IN-1 (flat nickel primer)40
------------------	---	-----

45 Super

230 grain XTP	★—★ 45 SUPER (nickel primer, loaded by Quality Cartridge).....	3.50
230 gr. FJHP	★—★ 45 SUPER (flat nickel primer, .894" brass case, copper jacketed bullet These are Starline brass loaded by Buffalo Bore)	2.50

45 Maximum Pistol



LDFN	. ELEY . LONDON (flattened copper primer. This is the straight-tapered, rimmed case round. Identification as such gleaned from old Buttweiler auction catalogs) -----	30.00
------	--	-------

45 Auto Rim

LDRN	REM-UMC 45 A R (nickel primer)50
LDRN	W R A 45 A R (nickel case, brass primer)50

45 Smith & Wesson Schofield--Short Colt

Blank, paper wad	Plain copper case with copper primer, mouth beveled in slightly, a little grungy. Made	
------------------	--	--

	By Frankford Arsenal.....	3.00
LDRN, flat tip	Plain Benet primed copper case. Frankford Arsenal mfg.....	12.00
Same	REM-UMC 45 COLT (U on large nickel primer, single case cannl.).....	3.00
Same	REM-UMC 45 S & W (small flat nickel primer).....	3.00
Same with small plain copper primer.....		3.50
Same with small rounded nickel primer.....		3.50
Same except for U on large copper primer.....		3.50
LDRN, flat tip	W.R.A.CO. 45 S & W. (large flat nickel primer).....	4.00
LDRN, flat tip	PETERS .45 S.& W (large flattened copper primer)	4.00
LDRN, flat tip	U.M.C. .45 S & W. (small copper primer).....	3.50
LDRN, flat tip	F 9 92 (tinned case & primer)	4.50
45 Long Colt		
250 grain LDFN	GA ARMS .45 DA-COLT. (flat nickel primer, by Georgia Arms)60
SNFN, "Heavy"	BUFFALO HVY .45 COLT (flat nickel primer, 300 grain bullet is loaded to 1325 fps, recommended for only Ruger, Colt Anaconda, Winch. & Marlin rifles.)	3.00
LDRN, flat tip	PETERS 45 COLT (flat nickel primer, seating cannl .445" from mouth)50
All hollow dummy	R-P 45 COLT (brass bullet, case & primer nickeled, hole in primer)	2.00
250 grain LDRN, flat tip	R-P 45 COLT (nickel primer)50
250 grain LDRN, flat tip	REM-UMC 45 COLT (nickel case & primer)50
LDRN, flat tip	REM-UMC 45 COLT (flat nickel primer).....	.50
LDFWC	MASTER 45 COLT (nickel primer with red seal)50
LDRN, flat tip	W R A 45 COLT (rounded nickel primer, red seal)50
LDRN, flat tip	WESTERN .45 COLT (flat nickel primer)50
Tool blank	WESTERN 45 COLT (straight case, nickel primer. These have <u>RED, GREEN or WHITE wads</u> , evidently indicating power level. Specify wad color)50
255 grain Lubaloy RN, flat tip	WESTERN .45 COLT (rounded nickel primer)50
LDRN, flat tip	REM-UMC 45 COLT (U on copper primer)50
LDRN, flat tip	D.C.CO. 45 COLT (nickel primer, two seating cannl in case)50
FJRN, copper jacket	D.C. 44 45 COLT (brass primer held in with three triangular crimps)50
LDRN, flat tip	U.S.C.CO. 45 COLT (rounded nickel primer, single cannl.)50
Blank, red plastic case	Plain with brass primer, smokeless load by Alcan, black powder loading.....	.50
Wax bullet load	COLT .45 WAX (red plastic case, brass primer, by Alcan for quick draw competition)	.40
Wax bullet load	COLT 45 (rounded nickel primer)50
255 grain LDRN, flat tip	N CCI R 45 COLT (flat nickel primer, aluminum case. Blazer brand)50
45 Colt Mod 1909		
LDRN, flat tip	F A 4 11 (copper primer with black seal).....	2.50
45 A.C.P., Commercial & Contract headstamp (may be military contract)		
Shot load	-F.M.F.L.B."-66-11.25- (brass primer, tinned case. Shot is contained by a mouth closure of a hard yellow wax. Made in Argentina by Beltran.)	3.50
75grain FJHP	W-W 45 AUTO (all red base by Super Sonic Ctg. Co.)	1.00
FJRN, copper jacket	60A 61 45 (or) 60A 59 45 (both with flat copper primers & red seal).....	1.00
FJRN, copper jacket	S Y I 54 (copper primer with black seal)35
200 grain FJHP	SPEER 45 AUTO (flat nickel primer)50
LDSWC	NEVINS 45 AUTO (flat nickel primer with red seal)50
LDSWC	NEVINS 45 AUTO (flat nickel primer with red seal)	1.00
185 grain FJHP	Same as above.....	1.00
230 grain FJRN	Same as above.....	1.00
Huck dummy	Plain steel base, brass case body and bullet are one piece. Case has four flutes. German	4.00
FJHP	E L D 45 AUTO (nickeled case & primer)50
Shot, clear plastic wad.	N CCI R 45 AUTO (nickel primer, necked aluminum case 1.20" long)60
200 grain FJRN	N CCI R 45 AUTO (flat nickel primer, aluminum case)60
185 grain Conical FJFN	Same as above.....	.60
FJRN	MRP - 45 AUTO - (flat brass primer)35
New empty	TEXAS 45 ACP (nickel case)50
FJRN, copper jacket	WRA 45 AC (flattened nickel primer with maroon seal).....	.50
FJRN, tinned, W in bullet side	W.R.A.CO. .45 A.C. (nickel primer, purple seal)35
FJRN	W.R.A.CO. 45 A.C. (nickeled primer with purple seal)30
Dummy, FJRN	W-W 45 AUTO (brown case & primer, hole in primer)50
Dummy, FJSWC	W-W 45 AUTO (browned case, hole in brown primer)50
Silvertip HP	W-W 45 AUTO (nickel primer)35
FJRN, tinned, worn.	W 18 (brass primer with purple seal)30

FJRN, copper jacket	W C C 7 1 (<u>experimental brass anodized aluminum case</u> , rounded nickel primer with red seal).....	12.00
FJRN, tinned jacket	U.S.C.CO. 5-17 (brass primer, commercial contract for the military)	.35
FJRN, tinned jacket	U.S.C.C.O. 45 A.C.P. (rounded brass primer with purple seal, S on bullet)30
190 grain truncated cone HP	SUPER VEL 45 ACP (nickel case & primer, HP cavity is .145" dia. "SUPER VEL" is at 12:00).....	.50
FJRN, tinned	P.C.CO. 18 (copper primer, maroon seal. Bullet secured with three dot crimps, seating cannl. .34" from case mouth. By Peters Ctg. Co.)35
Same as above except no dot crimps, and seating cannl. only .32" from mouth35
Thompson SMG blanks	REM-UMC 45 ACP (Cu primer, 1.20" case is slightly necked, wad .09" from mouth)	.50
	Same as above except lighter colored wad seated .23" from mouth. From Stenbridge	.50
Metal penetrating FJPTD	REM-UMC 45 ACP (flat nickel primer, nickel case)	2.50
Metal penetrating FJPTD	PETERS .45A.C. (flat nickel primer)	2.50
Metal penetrating FJPTD	SUPER-X 45 AUTO (rounded nickel primer, maroon seal, nickel case)	2.50
#6 shot with FJ cap	BBM SHOT ★ 45 AUTO ★ (brass primer. Called "HARDCAP" shotshell, the RN cap makes the round look like a regular 45 ACP round, by BBM Corp.).....	3.00
650 #12 shot	R-P 45 ACP (nickel primer, 6 petal rose crimp, 1.06" oal)60
FJHP, copper jacket	R-P 45 AUTO + P (nickeled case & primer. Mouth of HP is notched)50
FJ SWC	AMRON 45 AUTO (flat nickel primer)40
180 grain Hemi RN	45 AUTO (by Amron, nickel primer, oal only 1.14")50
230 grain Hydra-Shok HP	FEDERAL 45 AUTO (nickeled case & primer).....	.50
LD conical Hydra-Shok	MIDWAY 45 AUTO (flat nickel primer)	1.50
117 grain HP	AGUILA 45 AUTO (brass primer, nickeled case).....	1.25
FJRN	F C 61 (brass primer)30
FJRN, copper jacket	45 70 (flat brass primer with full ring crimp).....	.50
185 grain conical HP	P M C 45 AUTO (flat brass primer with maroon seal)60
<u>45 A.C.P., Military headstamp</u>		
Dummy, FJRN, cws jacket	E C 43 (copper primer with black seal, steel case).....	.75
Same	E C S 43 (copper primer, black seal, steel case)75
Same	E C 4 (same as above).....	.75
Same	E C 42 (same as above).....	.75
FJRN	3FLB80 11.25 (flat brass primer with maroon seal, maroon mouth seal. Metric hdstp.)	2.00
M9 Black	E C 4 (rounded copper primer with ring crimp, steel case. For revolver use only).....	.60
185 grain Match, FJ	IMI . 45 ACP . (brass primer, profiled bullet has shape like Coke bottle)50
Shot, M15	R A 4 (1.25: necked case, red wad, copper primer)75
Same as above except for tan wad.....75
FJRN, tinned	R.A. 1941 (headstamp divided at 3 & 9:00, brass primer, Norway)35
Match, FJRN	R A 66 MATCH (brass primer. red seal)30
Match, FJRN	WCC 67 MATCH (brass primer)30
FJRN	WCC 41 (brass primer, purple seal)25
FJRN, brass jacket, red seal	SF 56 I 4 (or) SF 57 I 1 (flat brass primer with red seal)25
FJRN	TZZ . 86 : (brass primer, red seal)50
FJRN	MG 43 .45 IZ (large copper primer with purple seal, Australian)30
FJRN	T W 5 (nickel primer with red seal, steel case)25
Blank, 5 petal rose crimp	F N 55 (brass primer held in with three triangular crimps, wad deep set. oal 1.23")	.30
FJRN, tinned jacket	F A 12 15 (copper primer with purple seal)50
FJRN, tinned jacket	F A 18 (copper primer)25
FJRN	F A 28 (or) F A 26 (or) F A 35 (or) F A 33 (copper primer)25
High pressure test M1	F A 42 (or) F A 43 (nickeled case, copper primer)50






45 Webley Revolver











45 Webley Revolver

LDRN, blunt	Plain flat base with a small copper primer)	3.00
LDRN, blunt	Plain with a large brass primer.....	3.00
LDRN, blunt	REM-UMC 45 WEB (small flat nickel primer).....	4.50
Same	W.R.A.Co. 45 WEB (copper primer).....	4.50

45 Winchester Magnum

Duplex, 260 grain total	W-W SUPER 45 WIN MAG (flat nickel primer, red seal. Front bullet is a FJHP, the second one an all lead FWC. By Ballistic Metal.)	2.00
Black Talon HP	W-W SUPER 45 WIN MAG (nickel primer with red seal.)	2.50
New primed empty	W-W SUPER 45 WIN MAG (nickel primer)50
Dummy, FJRN	W-W SUPER 45 WIN MAG (blackened case, empty primer pocket)75
<u>45 Revolver</u>		
Blank, M9	E C 4 (copper primer with purple seal, deep seated red wad, tapered mouth)25
Blank, M9 (T1-E2)	F A 4 (steel 45 ACP case with tapered mouth, deep seated red wad. Large copper primer held in with three very heavy crimps spaced 120o apart)	1.50
<u>45 G.A.P. (Glock Auto Pistol)</u>		
200 grain FJFN	SPEER 45 G.A.P. (nickel primer).....	1.50
230 grain FJRN	R-P 45 G.A.P.(nickel primer)	2.00
<u>45 Wildey</u>		
230gr. FJRN	475 WILDEY MAG (flat nickel primer, they used the 475 Wildey case, necked down to .450 for flatter shooting performance. These are loaded by Wildey, box copy available.)	2.75
<u>450 Magnum Express</u>		
		
260 grain SNHP	QUAL CART 450 MAG EXP (small flat nickel primer)	3.50
<u>450 Bond Super</u>		
100 grain "Total fragmenting" RN	IMI 45 ACP MATCH (brass primer. Made for Bond derringers).....	3.50
<u>450 SMC</u>		
230 grain JHP	TRITON 450 SMC (nickel primer and case)	
<u>450 British Revolver</u>		
		
450 Adams revolver Mark III	450 Adams revolver Mark II	450 Bond Super
LDRN, Mark II	ELEY BRO _S ✖ (two piece case, brass case body secured to brass disc using primer pocket as a rivet. Very scarce 2 nd version of the Adams 450.	30.00
Same	ELEY BRO _S (same as above except no ✖).....	30.00
Same	ELEY BROS LONDON (same case-disk combo, no ✖)	30.00
Same	ELEY BRO _S — (same as above)	30.00
LDRN	R.W.S. 450 (copper primer).....	3.50
LDRN	. ELEY.LONDON .450 (small flat copper primer).....	3.50
Shot, full length, white wad	GG (entwined) 450 (round brass primer, 1.10" necked case)	1.00
Shot, full length, rise crimped	Plain base with small copper primer by Fiocchi	1.00
LDRN	FIOCCHI 450 (flat nickel primer)	2.00
LDRN	KYNOCH .450 (small flat brass primer)	2.00
LDRN	same as above except for large flat copper primer).....	2.00
Blank, .664" case, brown wad	KYNOCH .450 (brass primer)50
Blank, .613 " case, 8 lobe crimp	GG (entwined) 450 (rounded brass primer)60
<u>451 Detonics Magnum</u>		
200 grain SNHP	W-W SUPER 45 WIN MAG (flat nickel primer, red seal. Cor Bon mfg. from 45 Win Mag cases these are no longer made. Label copy with each)	2.00
230 grain XTP	QUAL-CART 451 DETONICS (nickel primer)	3.00
<u>454 Casull</u>		
		
SNHP, copper jacket	NAA 454 CASULL (flat brass primer, red seal)	2.00
240 grain SNHP	F-A 454 CASULL (nickel primer, by Freedom Arms)	1.75
New primed empty	-454-CASULL (rounded nickel primer, red seal)50
New primed empty	Plain base, same primer & seal as above50
<u>455 Webley</u>		
LDRN	E WEBLEY B 455 (small flat copper primer, rare Eley Bros headstamp).....	50.00
LDRN	ELEY'S . 455 . (small copper primer, no seating crimp).....	7.50

LDRN	ELEY'S .455 . (small copper primer, severe full 360o seating crimp).....	12.00
LDRN	ELEY . LONDON . (small copper primer).....	7.50
<u>455 Webley-Enfield Mark I</u>		
Long conical LDRN	Plain flat base with a small copper primer. This is a BP loading).....	12.50
		
<u>455 Webley Mark II</u>		
Blank, red wad, .752" case	REM-UMC 455 II (copper primer, two cannl. .20" & .38" from mouth, grungy).....	.50
<u>455 Webley Revolver Mark VI</u>		
	455 Webley Mark 6	
FJRN, nickel jacket	K 42 VI Z (flat copper primer, black seal)	1.00
<u>455 Colt</u>		
	455 Colt by W.R.A.CO.	
RN copper clad	Same as above.....	3.50
LDRN	D.C.Co. .455 COLT (flat brass primer)	3.50
LDRN	W.R.A.CO. .455 COLT (W on copper primer)	4.50
Same as above except for plain copper primer.....		4.50
<u>455 Webley Automatic Mark 1</u>		
FJRN	R↑L 34 I (or) E . 17 I (or) E . 18 I (flat copper primer)..... either	8.50
<u>460 Rowland</u>		
230 gr. FJHP	★ ROWLAND ★ 460 (flat nickel primer, copper jacket Gold Dot bullet, .957" case. These are said to give 44 mag ballistics from a standard 45 automatic when fitted out with a drop-in compensated barrel and a 24 pound recoil spring.)	1.60
185 gr. Defense Load	Same headstamp above	1.60
185 gr. Nosler SNHP	Same as above.....	1.60
<u>460 S & W Magnum</u>		
200 grain XPB conical HP	★ — ★_ 460 S & W MAG (flat brass primer. Starline brass, loaded by Cor-Bon).....	5.25
<u>475 Linebaugh</u>		
		
420 gr. LDFN	BBA .475 LINEBAUGH (flat nickel primer, by Buffalo Bore Ammo. co.)	4.50
<u>50 Action Express</u>		
325gr. SNHP	SPEER 50:AE (Ni case & primer).....	2.50
300 grain SNHP	IMI .50 AE (brass primer with red seal)	2.00
300 grain SNFN	IMI .50 AE (brass primer, red seal)	2.00
<u>50 Remington Army</u>		
LDRN	Plain base on a <u>centerfire-inside primed</u> copper case by Frankford Arsenal.....	17.50
<u>50 Remington Navy</u>		
		
Full charge blank	Half charge blank	50 Remington Army
Half charge blank, tan wad	Plain UMC base, brass primer, case is necked from .54" to .47" .62" from base	5.00
Full charge blank, tan wad	Plain UMC base, brass primer, straight case .86" long	5.00
<u>500 J.R.H.</u>		
350GR. SNHP	— ★ — ★ — 500 JRH (flat nickel primer, Starline brass, loaded by Grizzley).....	6.85
<u>500 Linebaugh</u>		
435 grain LDFN	BBA .500 LINEBAUGH (flat nickel primer, by Buffalo Bore Ammunition).....	4.00
<u>500 Magnum</u>		
SNFN	(Bell symbol) HWP (Bell symbol) 500 MAGNUM (from a defunct project concerning	

SNFN, copper jacket



577 Revolver

modifying Ruger 44 mags to a five shot system using this cartridge).....	5.00
Same as above, brass for both made by B.E.L.L.(these have cracked necks).....	n/c

500 S & W Magnum

385 grain GDHP

577 Revolver

450 grain LDFN

★—★—★ 500 S & W MAG (flat nickel primer, by Quality Ctg.).....	4.00
.ELEY . LONDON .577 (small flat copper primer).....	120.00