

RIMFIRE

Updated 4-5-17

<u>Caliber-Loading</u>	<u>Headstamp-Description</u>	<u>Price each</u>
<b><u>14 Alton Jones</u></b>		
LDFN	H (impressed in copper case) .....	30.00
<b><u>17 Hornaday</u></b>		
17 gr. Ballistic tip PTD	H (impressed).....	.30
<b><u>17 Aguila</u></b>		
20 grain FJHP	A (impressed in brass base) .....	.30
<b><u>17 Hornaday Mach 2</u></b>		
17 grain Ballistic tip PTD	H (impressed) .....	.50
<b><u>22 Short</u></b>		
LDRN	U (raised on copper case).....	3.00
LDRN	H (raised on copper case).....	3.50
LDRN	P (raised on copper case) .....	3.00
<b><u>22 Extra Long</u></b>		
LDRN	P (impressed in copper case) .....	2.00
LDRN	(Swiss cross in shield in copper case) .....	2.00
LDRN	U (impressed in copper case).....	2.00
<b><u>22 Winchester Automatic, M1903</u></b>		
Kopperklad RN	H (in Cu case).....	.20
Lubaloy RN	Diamond in Cu case, Western Ctg. ....	.20
LDRFN	U (in Cu case).....	.20
LDFN	Same, except bullet has distinct flat tip and a single knurled cannl. on ogive .....	.25
LDFNHP	R inside shield, impressed in copper case .....	.50
<b><u>22 Remington Automatic</u></b>		
Dummy, 45 grain LDRN	U (in tinned case with 4 holes & single smooth cannl. about half way down) .....	1.00
Lubaloy HP	Diamond in Cu case, Western Ctg. ....	.20
Lubaloy RN	Diamond in Cu case, Western Ctg. ....	.20
LDRN	P (in Cu case).....	.20
<b><u>22 W.R.F. &amp; Remington Special</u></b>		
Lubaloy FN	Super-X monogram in tinned case .....	.20
LDRN	D (in Cu case).....	.20
LDFN	Diamond in Cu case, Western Ctg. ....	.20
CCLDFN	Diamond in copper case .....	.20
LDFN	U (with dot in center, brass case) .....	.35
LDFN	U (in brass case).....	.20
LDFN	U (small, in Cu case) .....	.20
New primed empty	U (impressed, two cannl. in brass case) .....	.15
Blank, buff wad	U (in brass case, wad seating cannl about 1/16" from mouth., slight roll crimp) .....	.30
Cu clad FN	US (impressed in blackened case, "Copperhead Speedsters") .....	.25
LDFN	H (in Cu case, single cannl.) .....	.20
LDFN	H (in Cu case with no cannl.) .....	.30
Lubaloy FN	H (in nickeled case).....	.35
New primed empty	H (impressed in copper case. From box with over strip "PRIMED SHELLS" .....	.30
Cu wash FN	M over W (divided by a horizontal line, Montgomery Ward brand) .....	.25
LDFN	PETERS HV (logo, on nickeled case) .....	.30
LDFN	P (impressed in copper case) .....	.25
LDFN	XL (in copper case).....	.20
CCLDFN	W (large), WRF (small right below. Recent lot by Winch. Brass case).....	.25
<b><u>22 Rimfire Magnum</u></b>		
Dummy, SNFN Half Jacket	T (hole in side of brass case) .....	.75
Dummy, Cu wash FN	Same as above.....	.75
Dummy, half jacket HP	Same as above.....	.75
Dummy FJHP	Same as above.....	.75
Dummy, brass wash FN	Same as above .....	.75
Dummy, FJHP	U (with hole in bottom of blackened case) .....	.50
Dummy, SNHP	H (with hole in it, blackened case. Wood rod insert visible in hole) .....	.75
Num-Rite cattle killer FN	H (impressed in brass case, plastin-iron bullet) .....	1.00

SNHP	U (with dot in center, brass case) .....	1.00
FJHP	Same.....	1.00
SNHP	HP (monogram in brass case, Hirtenberg, Austria) .....	.25
SNHP, 40 grain	T (in double outline, Armscor Precision brand) .....	.25
SNHP, 40 grain	R (in shield, brass case by R.W.S.) .....	.40
FJFN	Super-X logo in brass case .....	.25
#11 Shot, buff wad.	Super-X logo in brass case, partial roll crimp, experimental .....	2.00
Proof, SNHP	Super-X logo on nickel case, base & bullet wine red) .....	.50
FJHP	C (in double outline, by CCI) .....	.30
Shot, blue plastic sabot	C (in double outline, by CCI) .....	.30
<b><u>230 British Short</u></b>		
LDRN	Plain base on a .411" copper case .....	2.50
<b><u>25 Bacon &amp; Bliss</u></b>		
LDRN	U (impressed in copper case) .....	1.50
Blank, tan wad	U (impressed in copper case) .....	1.50
<b><u>30 Short</u></b>		
LDRN	H (raised in indent).....	2.50
<b><u>30 Long</u></b>		
LDRN, belted	US (raised in indent) .....	2.00
LDRN	Plain, from bulk UMC box .....	.75
LDRN	H (raised in indent).....	2.00
<b><u>310 Skeet</u></b>		
Shot, clear plastic wad	U (impressed in brass case. For 310 Skeet Remington shotguns.) .....	1.50
Shot, rose crimp	V (impressed in brass case).....	1.50
<b><u>32 Short</u></b>		
LDPTD, two distinct bands	Plain, typical Ethan Allen configuration .....	30.00
LDRN	C (impressed in copper case, have auctioned \$27.50) .....	20.00
LDRN	H (raised in circular indent) .....	1.50
LDRN	H (small, impressed) .....	.25
LDRN	U (impressed).....	.25
LDRN	U (raised in shallow indent).....	7.50
Blank, gray wad	U (impressed in .556" copper case) .....	.25
Blank, tan wad	U (impressed, wad seated deep with shellac coating) .....	.25
Blank, 8 petal rose crimp	U (impressed. Oal is .746") .....	.25
Blank, tan wad	US (impressed in .565" copper case) .....	.25
Blank, tan wad	H (small, impressed in .547" copper case) .....	.25
Blank, 6 petal modified rose crimp	H (small impressed, tan wad) .....	.20
LDRN	H (raised in circular indent) .....	1.50
LDRN, banded at case mouth	US (raised in circular indent) .....	1.50
LDRN	US (impressed).....	.25
LDRN, belted	A (raised in indent).....	1.00
Blank, purple wad	A (raised in circular indent) .....	.30
LDRN	P (raised in shallow indent, by Pheonix Ctg. Co., circa 1872-1888) .....	7.50
LDRN	P (large, impressed) .....	.50
LDRN, heavily waxed	P (large, impressed) .....	.30
LDRN	D (probably loaded by Dominion for Quintana Hermanos, Mexico) .....	.30
<b><u>32 Long, Outside lubricated</u></b>		
LDRN	Same.....	.25
LDRN	P (raised in circular indent) .....	7.50
LDRN	P (impressed).....	.30
LDRN	Plain, slightly dished base with felt wad around the inside of the rim designed to prevent bulging on firing. Made by Smith & Wesson .....	20.00
<b><u>32 Long Shot</u></b>		
Shot, gray wad	P (impressed in .93" copper case with slight taper crimp) .....	1.50
Shot, wood sabot	U (impressed. Case is .788" long, oal is 1.27") .....	1.30
<b><u>32 Long, Inside lubricated</u></b>		
LDRN	U (large, impressed in .930" case, oal 1.20") .....	3.00
LDRN	H (impressed in copper case).....	3.00
<b><u>32 Extra Long Ballard</u></b>		
LDRN, two exposed grooves	Plain .....	2.50
LDRN, two exposed grooves	U (impressed) .....	2.50
LDRN, two exposed grooves	H (large, raised).....	6.00

**37 Winchester Experimental**

85 grains of #12 Shot

Plain base on a 1.13" brass case. Loaded with 7.5 grains of Bullseye #2. Box info states for "EXP. 3141" .....

25.00

**38 Short**

Lubaloy RN  
LDRN  
LDRN, belted  
LDRN, belted  
Shot, pink paper sabot  
LDRN  
LDRN  
LDRN  
LDRN  
Shot, wood sabot  
Blank, gray wad  
LDRN  
LDRN  
LDRN

Diamond impressed in copper case, copper plated bullet has single knurled ring .....  
US (impressed).....  
US (raised in circular indent) .....  
A (raised in indent) .....  
A (raised in circular indent) .....  
H (large, impressed) .....  
H (small, impressed) .....  
H (raised in circular indent) .....  
U (impressed).....  
U (impressed in copper case, natural color sabot, oal is 1.23" .....  
U (impressed in .755" case) .....  
P (impressed).....  
P (raised in circular indent) .....  
Plain, possibly early UMC .....

.30  
.20  
3.50  
.25  
1.50  
.20  
.20  
2.00  
.20  
.35  
.20  
.20  
7.50  
.25

**38 Long**

LDRN  
Shot, wood sabot  
LDRN  
LDRN, belted  
LDRN  
LDRN  
LDRN  
LDRN  
LDRN  
Multi-ball

US (raised in indent).....  
U (impressed).....  
U (impressed).....  
A (raised in indent).....  
H (impressed in slight indent) .....  
H (impressed).....  
H (raised in indent).....  
P (impressed).....  
Plain, three round balls in green paper sabot. Case is .880" long, oal is 1.52". By American Metallic Cartridge Co. ....  
D (impressed).....  
Plain by Dominion.....  
Plain, early UMC.....

1.50  
.25  
.25  
.50  
.20  
.20  
2.00  
.50  
20.00  
.50  
.50  
.25

**38 Extra Long Ballard**

150 grain LDRN, two grooves  
LDRN, two exposed grooves  
LDRN, one exposed groove  
LDRN, two exposed grooves

U (impressed, 2" oal).....  
U (raised in circular indent, 2.0" oal).....  
H raised in circular indent, 1.95" oal).....  
Plain base, 2.0" oal, assume this to be early UMC because of length and bullet design

6.50  
6.00  
12.50  
6.50

**41 Swiss (10.4mm)**



Shot, purple paper sabot  
Shot, tan paper sabot  
Blank, tan wad  
LDRN  
LDRN, patched

H (impressed in copper case) .....  
P (impressed in copper case).....  
U (impressed in copper case) .....  
T (raised in circular indent) .....  
C (raised in circular indent, copper case, Caverhill, Canada).....

10.00  
7.50  
1.00  
10.00  
7.50

**41 Short**



LDRN  
LDRN Lubaloy  
LDRN  
LDRN  
Dummy LDRN  
LDRN

P (impressed in copper case, Peters Ctg. Co.).....  
◇ (large, impressed in copper case) .....  
◇ (small impressed in copper case) .....  
V (impressed in copper case) .....  
V (impressed in copper case with a hole in the side) .....  
U (impressed in copper case).....

2.00  
2.00  
2.00  
2.00  
2.00  
2.00

**41 Long**



LDRN	U (raised in circular indent) .....	20.00
LDRN	US (raised in circular indent, .650" case, oal 1.09") .....	6.50
LDFN	P (raised in circular indent) .....	10.00
LDRN	Plain base.....	4.00
LDRN, blunt	H (impressed in .645" copper case, oal is .968" to .982") .....	3.00


**42 Forhand-Wadsworth**



42 Forhand & Wadsworth

LDRN, single band	Plain base. Bullet has single .22" wide band that starts at case mouth .....	6.50
	band starts above groove .....	6.50
LDRN, long ogive, single band	U (impressed, band is .225 " wide) .....	6.50
LDRN, two bands	Plain flat base.....	6.00

**44 Short**



44 Short Rimfire

Blank, tan wad	U (impressed in .640" copper case, slightly rolled in at mouth) .....	2.50
Blank, tan wad	Plain base.....	2.50
Blank, gray wad	U (impressed, .635" copper case, slight taper at mouth) .....	2.50
LDRN, flat tip	D (impressed).....	5.00
LDRN	Plain base, .642" case, oal 1.17" .....	4.00
LDRN, one knurled groove	Plain base on copper case. Same as Suydam 1st edition, page 99, item #2 .....	4.50
LDRN, one groove	U (impressed).....	4.00
LDRN, one groove, flat tip	H (impressed) .....	4.00
LDRN, one groove, flat tip	H (raised in circular indent) .....	30.00

**44 Long**



44 Long

LDRN	U (impressed).....	16.00
Blank, pink wad	Plain base, slight taper at mouth.....	5.00
LDRN	H (raised in circular indent) .....	27.50
LDPTDRN	Plain concave base. Bullet configuration and concave base indicated these made by CTM. See American Cartridge, Suydam, page 107, item #5 .....	25.00

**44 Extra Long Ballard**



44 Extra Long Ballard

LDRN, two groove	P (raised in circular indent) .....	30.00
LDRN, two groove	US (raised in circular indent) .....	17.50
LDRN, two groove	Plain base.....	12.50


**46 Short**



46 Short

LDRN, one exposed groove	Plain base, possibly early UMC.....	17.00
--------------------------	-------------------------------------	-------


**46 Long**



46 Long

LDRN, flat tip	H (raised in circular indent, 1.24" case, oal 1.825") .....	20.00
LDRN, flat tip	H (impressed in copper case).....	20.00

**46 Remington Carbine**



46 Remington Carbine

LDRN, two groove	Plain flat base.....	20.00
LDRN, two groove	U (impressed).....	17.50
LDRN, smooth bullet	Plain base, Mexican mfg. ....	10.50

**56-46 Spencer**



56-46 Short case

LDRN, 3 exposed grooves	Plain base on a 1" copper case, I think these are early C.D. Leet mfg.....	40.00
Blank	Plain base, .980" copper case has pine tar/bees wax wad. By Frankfort Arsenal .....	10.00

**50 Spencer**

**56-50 Spencer**



56-50 Spencer

LDRN, flat tip	C.D.L. (impressed, by C. D. Leet) .....	25.00
LDRN, flat tip	J.G. (impressed in copper case) .....	25.00
LDRN, flat tip	Plain , from a C.D.L. packet .....	20.00
LDRN, flat tip	S.A.W. (impressed, Sage Ammunition Works) .....	25.00
LDRN, flat tip	U (impressed).....	20.00
Shot, wood sabot	U (impressed, case is 1.18" long, oal is 1.55") .....	20.00
Shot, full length	H (impressed, case is 1.54" long, tan wad seated .20" from mouth. Case is necked) .	20.00
<b><u>56-52 Spencer</u></b>		
LDRN2 exposed grooves	U (impressed).....	20.00
<b><u>56-56 Spencer</u></b>		
LDPTD, two exposed grooves	Plain base, these have an oal of 1.66 to 1.68, commonly called the army-navy length Probably by Frankford arsenal.....	25.00

**METRIC RIMFIRE**

**4mm Short**

New primed empty & 4mm ball	Acorn, raised on 6.46mm copper case. This is the original configuration of these rounds, the shooter first seated the ball in the bore, then chambered the case behind. ....	.20
LD ball	Acorn, raised on 6.46mm copper case .....	.15

**4mm Long**

New primed empty & 4mm ball	Acorn raised on copper case. This is the original configuration of these rounds, the shooter first seated the ball in the bore, then chambered the case behind. ....	.20
LD ball	Acorn, raised on 7.94mm copper case .....	.20

**5mm Wingo**

Shot, 9 petal rose crimp	W (large, impressed in brass case) .....	1.00
--------------------------	--	------

**7mm Flobert**

LD ball	E (impressed in copper case, Eley) .....	1.00
LD ball	E (raised on copper case, Eley) .....	1.00
LD ball	SB (raised on copper case) .....	.50
LD ball	Plain copper case.....	.50
LD ball	G (anchor) E (raised on copper case) .....	1.00
LD ball	A W G (raised on copper case) .....	.50
LD ball	Acorn, raised on copper case .....	.30

**9mm Flobert**

LD ball	CF (raised, entwined on copper case, French) .....	.50
Shot, deep blue wad	GFL (monogram , impressed on 35.16mm nickel case) .....	.30
LD ball	E (raised on copper case, Eley) .....	1.50
LD ball	EH (monogram, raised on copper case) .....	.50
LD ball	CAO (entwined, raised on copper case) .....	.50
LD PTD	G (raised on copper case, probably French) .....	1.00
LD ball	Crown, raised on thick rim 10.7 mm long case .....	1.00
<b><u>12.7 x 44R Norg. Remington</u></b>	LDRN (plain flat case on a copper case).....	30.00